

The Chemical Formulary

*Collection of Commercial Formulas
for Making Thousands of products
in Many Fields*

VOLUME XVIII

Editor-in-Chief

H. BENNETT, F.A.I.C.

**Director, B. R. Laboratory
(Formula Consultants)
Miami Beach, Florida 33140**

CHEMICAL PUBLISHING COMPANY, INC.

New York

1974

The Chemical Formulary, Volume XVIII

© 2011 by Chemical Publishing Co., Inc. All rights reserved. This book is protected by copyright. No part of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means; electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

ISBN: 978-0-8206-0073-4

Chemical Publishing Company:
www.chemical-publishing.com
www.chemicalpublishing.net

© 1974 H.Bennett

First Edition:

© **Chemical Publishing Company, Inc.** - New York 1974-2011

Second Impression:

Chemical Publishing Company, Inc. - 2011

Printed in the United States of America

CONTENTS

I	Introduction	13
II	Adhesives	47
III	Coatings	70
IV	Cosmetics	99
V	Detergents	187
VI	Drug Products	206
VII	Emulsions & Dispersions	222
VIII	Foods & Beverages	233
IX	Metals and their Treatment	281
X	Polishes	300
XI	Rubber, Resins, Waxes	316
XII	Textiles and their Treatment	337
XIII	Miscellaneous	357

Appendix

Federal Regulations	380
Incompatible chemicals	382
Tables	386
Trademark Chemicals	390
Suppliers of Trademark Chemicals	408
Suppliers of Trademark Chemicals	525
Index	

PREFACE TO VOLUME XVIII

This new volume of the CHEMICAL FORMULARY series is a collection of new, up-to-date formulas. The only repetitious material is the introduction (Chapter I) which is used in every volume for the benefit of those who may have bought only one volume and who have no educational background or experience in chemical compounding. The simple basic formulas and compounding methods given in the introduction will serve as a guide for beginners and students. It is suggested that they read the introduction carefully and even make a few preparations described there before compounding the more intricate formulas included in the later chapters.

The list of chemicals and their suppliers has been enlarged with new trademark chemicals, so that buying the required ingredients will present no problem.

Grateful acknowledgement is made to the Contributors for their valuable suggestions and contributions.

H. BENNETT

NOTE: All the formulas in Volumes I through XVII (except in the Introduction) are different. Thus, if you do not find what you want in this volume, you may find it in one of the others.

NOTE: This book is the result of cooperation of many chemists and engineers who have given freely of their time and knowledge. It is their business to act as consultants and to give advice on technical matters for a fee. As publishers, we do not maintain a laboratory or consulting service to compete with them. Therefore, please do not ask us for advice or opinions, but consult a chemist.

Formulas for which patent numbers are listed can be manufactured only after obtaining a license from the patentees.

BOOKS BY H. BENNETT

The Chemical Formulary Vol. I—XVII
The Cumulative Index—The Chemical Formulary
Concise Chemical & Technical Dictionary
New Cosmetic Formulary
Chemical Specialties
Industrial Waxes, Vols. I, II
Practical Emulsions, Vols. I, II
More For Your Money
Trademarks, Chemical

CONTRIBUTORS

Andriolo, S. M.	Cosden Oil & Chemical Co.
Bartucz, L.	BASF
Botau, M.	WEPCO
Braitmayer, J.W.	Mona Industries Inc.
Brown, H.	Sandoz Colors & Chemicals
Burge, R.W.	Pilot Chemical Co.
Cade, P.H.	Croda Inc.
Capozzi, J.T.	American Viscose Div.
Coulston, M.	Reichard-Coulston Inc.
Crespo, A.F.	Abbott Laboratories
Czifides, L.	Nopco Chemical Div.
Collins, G.C.	U.S. Borax Chemical Corp.
Draper, W.E.	Eastman Chemical Products Inc.
Elman, S.H.	Lonza
Fasano, F.L.	American Hoechst
Finberg, A.J.	Consultant
Fitzgibbons, R.M.	Meer Corp.
Fox, C.J.	Hercules Inc.
Garrison, L.J.	Varney Chemical Div.
Goldenberg, R.L.	Van Dyle & Co.
Gordon H.T.	Roche Chemical Div.
Gottlieb, I.	Lonza
Goulston, P.H.	Cabot Corp.
Hartnett, J.J.	Tanatex Chem. Co.
Kendall, E.R.	Commercial Solvents Corp.
Krepela, R.T.	Consultant
Kroll, E.	Henkel Inc.
Locke, D.A.	Witco Chem. Corp.
Macron, D.F.	Goldschmidt Chemicals
Malakoff, N.L.	Witco Chem. Co.
Martin, F.A.	American Hoechst Corp.
McQuillen, P.G.	Plastics Div. Allied Chem. Corp.
Meier, T.J.	Wilmington Chem. Corp.
Meulen, C.R.V.	Penick & Ford Ltd.

Morris, T.C.	Drexel Chemical Corp.
Petrino, D.	Thiokol Chem. Div.
Pitts, L.	Allied Colloids Inc.
Poole, C.W.	Velsicol Chemical Corp.
Renshaw, H.N.	Staley Mfg. Co. A.F.
Reynolds, G.F.	Kelco Co.
Rosenthal, M.L.	Robeco Chemicals Inc.
Russell, S.D.	N.L. Industries Inc.
Schaeufele, P.J.	Lonza Inc.
Schlossmann, M.L.	Prince Industries Ltd.
Schulman, Wm.	Consultant
Scoggins, R.	Eastman Chem Prod. Inc.
Silkaitis, R.P.	Rita Chemical Corp.
Smith, G.	Marchon Div.
Sobyak, F.J.	Air Prod. & Chemicals Inc.
Steele, Dr. F.J.	Director Pharmacy, Ephrata Community Hospital
Tener, H.E.	Cincinnati Milacron Chem. Inc.
Wilke, W.H.	Patco Products

PREFACE

Chemistry, as taught in our schools and colleges, concerns chiefly synthesis, analysis, and engineering—and properly so. It is part of the right foundation for the education of the chemist.

Many a chemist entering an industry soon finds that most of the products manufactured by his concern are not synthetic or definite chemical compounds, but are mixtures, blends, or highly complex compounds of which he knows little or nothing. The literature in this field, if any, may be meager, scattered, or obsolete.

Even chemists with years of experience in one or more industries spend considerable time and effort in acquainting themselves with any new field which they may enter. Consulting chemists similarly have to solve problems brought to them from industries foreign to them. There was a definite need for an up-to-date compilation of formulae for chemical compounding and treatment. Since the fields to be covered are many and varied, an editorial board of chemists and engineers engaged in many industries was formed.

Many publications, laboratories, manufacturing firms, and individuals have been consulted to obtain the latest and best information. It is felt that the formulae given in this volume will save chemists and allied workers much time and effort.

Manufacturers and sellers of chemicals will find, in these formulae, new uses for their products. Nonchemical executives, professional men, and interested laymen will make

through this volume a "speaking acquaintance" with products which they may be using, trying or selling.

It often happens that two individuals using the same ingredients in the same formula get different results. This may be due to slight deviations in the raw materials or unfamiliarity with the intricacies of a new technique. Accordingly, repeated experiments may be necessary to get the best results. Although many of the formulae given are being used commercially, many have been taken from the literature and may be subject to various errors and omissions. This should be taken into consideration. Wherever possible, it is advisable to consult with other chemists or technical workers regarding commercial production. This will save time and money and help avoid trouble.

A formula will seldom give exactly the results which one requires. Formulae are useful as starting points from which to work out one's ideas. Also, formulae very often give us ideas which may help us in our specific problems. In a compilation of this kind, errors of omission, commission, and printing may occur. I shall be glad to receive any constructive criticism.

H. BENNETT

ABBREVIATIONS

ampampere
amp/dm ²amperes per square decimeter
amp/sq ftamperes per square foot
anhydranhydrous
avoiravoirdupois
bblbarrel
BéBaumé
B.P.boiling point
°Cdegrees Centigrade
cccubic centimeter
cdcurrent density
cmcentimeter
cm ³cubic centimeter
concconcentrated
c.p.chemically pure
cpcentipoise
cu ftcubic foot
cu in.cubic inch
cwthundredweight
ddensity
dildilute
dmdecimeter
dm ²square decimeter
drdram
EEngler
°Fdegrees Fahrenheit
ffcfree from chlorine
ffpafree from prussic acid
fl drfluid dram
fl ozfluid ounce
ft ptflash point
F.P.freezing point
ftfoot
ft ²square foot
ggram

ABBREVIATIONS

gal	gallon
gr	grain
hl	hectoliter
hr	hour
in.	inch
kg	kilogram
l	liter
lb	pound
liq	liquid
m	meter
min	minim, minute
ml	milliliter (cubic centimeter)
mm	millimeter
M.P.	melting point
N	Normal
N.F.	National Formulary
oz	ounce
pH	hydrogen-ion concentration
p.p.m	parts per million
pt	pint
pwt	pennyweight
q.s.	a quantity sufficient to make
qt	quart
r.p.m.	revolutions per minute
sec	second
sp	spirits
Sp. Gr.	specific gravity
sq. dm.	square decimeter
tech	technical
tinc	tincture
tr	tincture
Tw	Twaddell
U.S.P.	United States Pharmacopeia
v	volt
visc	viscosity
vol	volume
wt	weight

CHAPTER I

INTRODUCTION

The following introductory matter has been included at the suggestion of teachers of chemistry and home economics.

This section will enable anyone, with or without technical education or experience, to start making simple products without any complicated or expensive machinery. For commercial production, however, suitable equipment is necessary.

Chemical specialties are composed of pigments, gums, resins, solvents, oils, greases, fats, waxes, emulsifying agents, dyestuffs, perfumes, water, and chemicals of great diversity. To compound certain of these with some of the others requires definite and wellstudied procedures, any departure from which will inevitably result in failure. The steps for successful compounding are given with the formulae. Follow them rigorously. If the directions require that (*a*) is added to (*b*), carry this out literally, and do not reverse the order. The preparation of an emulsion is often quite as tricky as the making of mayonnaise. In making mayonnaise, you add the oil to the egg, slowly, with constant and even stirring. If you do it correctly, you get mayonnaise. If you depart from any of these details: If you add the egg to the oil, or pour the oil in too quickly, or fail to stir regularly, the result is a complete disappointment. The same disappointment may be expected if the prescribed procedure of any other formulation is violated.

The point next in importance is the scrupulous use of the proper ingredients. Substitutions are sure to result in inferior

quality, if not in complete failure. Use what the formula calls for. If a cheaper product is desired, do not prepare it by substituting a cheaper ingredient for the one prescribed: use a different formula. Not infrequently, a formula will call for an ingredient which is difficult to obtain. In such cases, either reject the formula or substitute a similar substance only after a preliminary experiment demonstrates its usability. There is a limit to which this rule may reasonably be extended. In some cases, substitution of an equivalent ingredient may be made legitimately. For example, when the formula calls for white wax (beeswax), yellow wax can be used, if the color of the finished product is a matter of secondary importance. Yellow beeswax can often replace white beeswax making due allowance for color, but paraffin wax will not replace beeswax, even though its light color seems to place it above yellow beeswax.

And this leads to the third point: the use of good-quality ingredients, and ingredients of the correct quality. Ordinary lanolin is not the same thing as anhydrous lanolin. The replacement of one with the other, weight for weight, will give discouragingly different results. Use exactly what the formula calls for: if you are not acquainted with the substance and you are in doubt as to just what is meant, discard the formula and use one you understand. Buy your chemicals from reliable sources. Many ingredients are obtainable in a number of different grades: if the formula does not designate the grade, it is understood that the best grade is to be used. Remember that a formula and the directions can tell you only part of the story. Some skill is often required to attain success. Practice with a small batch in such cases until you are sure of your technique. Many examples can be cited. If the formula calls for steeping quince seed for 30 minutes in cold water, steeping for 1 hour may yield a mucilage of too thin a consistency. The originator of the formula may have used a fresher grade of seed, or his conception of what "cold" water means may be different from yours. You should have a feeling for the right degree of mucilaginousness, and if steeping the seed for 30 minutes fails to produce it, steep them longer until you get the

right kind of mucilage. If you do not know what the right kind is, you will have to experiment until you find out. This is the reason for the recommendation to make small experimental batches until successful results are obtained. Another case is the use of dyestuffs for coloring lotions and the like. Dyes vary in strength; they are all very powerful in tinting value; it is not always easy to state in quantitative terms how much to use. You must establish the quantity by carefully adding minute quantities until you have the desired tint. Gum tragacanth is one of those products which can give much trouble. It varies widely in solubility and bodying power; the quantity listed in the formula may be entirely unsuitable for your grade of tragacanth. Therefore, correction is necessary, which can be made only after experiments with the available gum.

In short, if you are completely inexperienced, you can profit greatly by experimenting. Such products as mouth washes, hair tonics, and astringent lotions need little or no experience, because they are, as a rule, merely mixtures of simple liquid and solid ingredients, which dissolve without difficulty and the end product is a clear solution that is ready for use when mixed. However, face creams, tooth pastes, lubricating greases, wax polishes, etc., whose formulation requires relatively elaborate procedure and which must have a definite final viscosity, need some skill and not infrequently some experience.

Figuring

Some prefer proportions expressed by weight or volume, others use percentages. In different industries and foreign countries different systems of weights and measures are used. For this reason, no one set of units could be satisfactory for everyone. Thus divers formulae appear with different units, in accordance with their sources of origin. In some cases, parts are given instead of percentage or weight or volume. On the pages preceding the index, conversion tables of weights and

measures are listed. These are used for changing from one system to another. The following examples illustrate typical units:

EXAMPLE NO. 1

Ink for Marking Glass

Glycerin	40	Ammonium Sulfate	10
Barium Sulfate	15	Oxalic Acid	8
Ammonium Bifluoride	15	Water	12

Here no units are mentioned. In this case, it is standard practice to use parts by weight throughout. Thus here we may use ounces, grams, pounds, or kilograms as desired. But if ounces are used for one item, the ounce must be the unit for all the other items in the formula.

EXAMPLE NO. 2

Flexible Glue

Powdered Glue	30.90%	Glycerin	5.15%
Sorbitol (85%)	15.45%	Water	48.50%

Where no units of weight or volume, but percentages are given, forget the percentages and use the same method as given in Example No. 1.

EXAMPLE NO. 3

Antiseptic Ointment

Petrolatum	16 parts	Benzoic Acid	1 part
Coconut Oil	12 parts	Chlorothymol	1 part
Salicylic Acid	1 part		

The instructions given for Example No. 1 also apply to Example No. 3. In many cases, it is not wise to make up too large a quantity of a product before making a number of small batches to first master the necessary technique and also to see whether the product is suitable for the particular purpose for which it is intended. Since, in many cases, a formula may be given in proportions as made up on a factory scale, it is advisable to reduce the quantities proportionately.

EXAMPLE NO. 4

Neutral Cleansing Cream

Mineral Oil	80 lb	Water	90 lb
Spermaceti	30 lb	Glycerin	10 lb
Glyceryl Monostearate	24 lb	Perfume	To suit

Here, instead of pounds, ounces or even grams may be used. This formula would then read:

Mineral Oil	80 g	Water	90 g
Spermaceti	30 g	Glycerin	10 g
Glyceryl Monostearate	24 g	Perfume	To suit

Reduction in bulk may also be obtained by taking the same fractional part or portion of each ingredient in a formula. Thus in the following formula:

EXAMPLE NO. 5

Vinegar Face Lotion

Acetic Acid (80%)	20	Alcohol	440
Glycerin	20	Water	500
Perfume	20		

We can divide each amount by ten and then the finished bulk will be only one tenth of the original formula. Thus it becomes:

Acetic Acid (80%)	2	Alcohol	44
Glycerin	2	Water	50
Perfume	2		

Apparatus

For most preparations, pots, pans, china, and glassware, which are used in every household, will be satisfactory. For making fine mixtures and emulsions, a malted-milk mixer or egg beater is necessary. For weighing, a small, low-priced scale should be purchased from a laboratory-supply house. For measuring fluids, glass graduates or measuring glasses may be purchased from your local druggist. Where a thermometer is necessary, a chemical thermometer should be obtained from a druggist or chemical-supply firm.

Methods

To understand better the products which you intend to make, it is advisable that you read the complete section covering such products. You may learn different methods that may be used and also to avoid errors which many beginners are prone to make.

Containers for Compounding

Where discoloration or contamination is to be avoided, as in lightcolored, or food and drug products, it is best to use enameled or earthenware vessels. Aluminum is also highly desirable in such cases, but it should not be used with alkalies as these dissolve and corrode aluminum.

INDEX

- Acne Cream, 207
Adhesive. *Also see* Caulk, Cement, Glue, Mastic, Seal.
 Aluminum, 62
 Bonding, 50
 Bookbinding, 68
 Carton, 69
 Contact, 59
 Elastomer, 63
 Flameproof, 64
 Flocking, 60
 Hot melt 65, 66
 Label, 68
 Laminating 60, 61
 Leather, 64
 Nylon, 63
 Plastics, 61
 Polyester, 63, 65
 Polyethylene, 65
 Polypropylene, 65
 Polystyrene, 62, 66
 Polyurethane, 61
 Rayon, 63
 Rubber, 65
 SBR, 63
Advice, 22
Air Freshener, 186
Aluminum Anodizing, 294
 Brightener, 299
 Analgesic, Internal, 217
 Anodizing, Aluminum, 294
 Tin Plate, 282
 Ant Poison, 30
 Antifreeze Defoamer, 232
 Antioxidant, SBR, 331
 Antiperspirant, 99-107
 Antiseptic Ointment, 16
 Apparatus, 18
 Apple Juice, 266
 Aquarium Cement, 39
 Arthritis Ointment, 210
 Asphalt-Concrete Sealant, 52
 Atomic Weights, 387

Bakers' Glaze, 242
 Icing, 242, 244
 Meringue, 243
 Topping, 244
Baking Powder, 31, 245
Barium Sulfate Suspension, 206
Bath, Bubble, 108, 112
 Gelee, 111
 Herbs, 115
 Oil, 109, 110, 113
 Powder, 115
 Salts, 113-115
Bed Sore Powder, 221

- Bedbug Exterminator, 30
Beer, Chillproofing, 268
Beerstone Removal, 205
Beverage, Lemon Emulsion, 264
 Orange, Dry, 262
 Syrup, 263, 264
Bird Food, 32
Bleach, Laundry, 42
 Textile, 347
Bleach, Wood Flour, 39
Blemish Cover, Cosmetic, 177
Bluing, 42
Body Powder, 149
Boiler Compound, 45
Bottle Cap Sticking, Preventing, 365
Brass Discoloration Removal, 299
Bread, Soy Flour, 233
Buffing Compound, 312
Burn Ointment, 210
Buying Apparatus, 22
 Chemicals, 22
- Cake, Devil's Food, 236
 High Shortening, 237
 Yellow Layer, 236
Calamine Lotion, 216
Calculations, 15
Canary Food, 32
Candy, Caramel, 247
 Chocolate, 250
 Dietetic, 249
 Fudge, 246
- Hard, 249
Improvement, 246
Jujubes, 249
Lozenges, 248
Protein, 250
Sugarless, 249
Sweet-sour, 248
Carpet Underlay, 64
Caulk, butyl, 52
 gummable, 53
Cautions, 22
Cement. *Also See* Adhesive, Binder, Caulk, Glue, Sealer.
 Aquarium, 39
 Tire Tread, 60
 Waterproofing, 43
Ceramic Binder, 357
 Dielectric, 366
 Glaze, 358
 Slip, 358
Cereals, Improved, 278
Cheese, Blue Cheese Dressing, 271
 Cream, Imitation, 256
 Improved, 258
 Loaf, Imitation, 257
 Processed, 257
Chest Cough Ointment, 209
Chest Rub, 29
Chromium Plate Removal, 297
Clarification, 20, 265
Cleaner. *Also See* Detergent.
 Beer Pipe, 23
 Jewelry, 312
 Milk Pipe, 23

- Paint Brush, 42
 Coating. *Also See* Lacquer,
 Paint, Varnish.
 Electrical wire, 84
 Polyester, 331
 Poultry Coating, 30
 Powder, 331
 Vinyl Top, 309
 Cocoa Powder, 31
 Cocoa-malt Powder, 31
 Coconut, Moisturizing, 277
 Coffee Whitener, 254
 Cologne, 146
 Coloring Copper, 33
 Steel, 33
 Tin Plate, 282
 Concrete Sealer, 51
 Consulting Service, 23
 Containers, Compounding,
 18
 Cookie, Sugarless, 235
 Copper, Cleaner, 298
 Coloring, 33
 Cosmetic Stick, 172
 Cosmetics, 99-186
 Costs, Calculating, 23
 Crack Filler, 357
 Cream, All-purpose, 118
 Cleansing, 17, 24, 117
 Cold, 24, 116
 Dairy, Sour, Synthetic,
 255, 256
 Whipping Stabilizer,
 255
 Fluffy, Cold, 115
 Medicated, 121
 Moisturizing, 119, 120
 Non-greasy, Cold, 25
 Rolling Massage, 118
 Vanishing, 25
 Custard, 258
 Cuticle Remover, 182
 Cutting Oil, 370
- Dandruff, Anti-, 213
 Decolorizing, 26
 Defoaming Polluted Water,
 364
 Defroster, 372
 Dental Anodyne, 212
 Carie Prevention, 218
 Deodorant, 30, 185, 186
 Depilatory, 182
 Detergent, Acid, 203
 Aerosol, 188
 All-purpose, 194
 Bottle, 200, 201
 Carpet, 187
 Chromium, 195
 Cold Water, 187
 Degreasing, 202
 Dishwasher, 200
 Drain, 197
 Drycleaning, 189
 Felt, 193
 Fine Fabric, 189
 Food Peeling, 201
 Glass, 200
 Hard Surface, 198
 Household Laundry, 192
 Laundry, 190, 191
 Leather, 194
 Liquid, 194

- Low-foam, 193
- Non-phosphate, 190, 201
- Oven, 195, 196
- Pine Oil, 190
- Plastic, 194
- Detergent, Rolling Oil, 297
- Rug, 187
- Tile, 197
- Toilet Bowl, 196
- Upholstery, 187
- Windshield, 198
- Woolen, 187-200
- Disinfectant, Cresol, 30
- Dispersion, "Aldrin", 373
 - BHC, 373
 - Calcium Carbonate, 229
 - Carbon Black, 229
 - Chlordane, 373
 - Chlorinated Paraffin, 230
 - Clay, 229
 - Cocoa, 231
 - DDT-Clay, 229
 - Dieldrin, 373
 - Heptachlor, 374
 - IPC, 374
 - Iron Oxide, 229
 - Kaolin, 229
 - "Microthene", 231
 - Monoglyceride, 230
 - "Myvatex", 231
 - Pigment, 230
 - Polyester, 228
 - Polyethylene, 231
 - Polyolefin, 231
 - Powder, 229
 - Titanium Dioxide, 229
 - Zinc Oxide, 229
- Dissolving, 20
- Drugs, 206-221
- Dust Control, 361
- Dusting Powder, 149
- Dye, Dispersing, 356
- Dyeing Acrylics, 353
 - Brightener, 356
 - Polyester, 353
 - Shade Reduction, 354
 - Streaky, Repairing, 354
 - Stripping, 355
 - Thickener, 356
- Egg Albumen Replacement, 251
- Elementary Preparations, 24
- Emulsion, Carnauba Wax, 226
 - Cationic, 228
 - Chlorinated Solvent, 225
 - Corn Oil, 226
 - Flavor Oil, 240
 - HLB Values, 222
 - Hydrocarbon, 223, 225
 - Hydrogenated Castor Oil, 226
 - Kerosene, 222
 - Lemon Oil, 264
 - Mineral Spirits, 223
 - Orange Oil, 265
 - Paraffin Wax, 226, 336
 - Petrolatum, 368
 - Pine Oil, 223
 - Plasticizer, 223
 - Polyethylene, 227, 336

- Salt Stable, 223
Emulsion, "Shanco" Wax,
227
2, 4-D, 372
Eye, Liner, 126
Oil, 217
Shadow, 121-126
- Face Mask, Cosmetic,
170-172
Fiberboard, Waterproofing,
42
Filtering, 20
Fire Extinguisher, 45
Kindler, 45
Fireproofing Canvas, 44
Paper, 44
Plastics, 323
Textiles, 44
Flan, 259
Flavor Oil Emulsion, 240
Floor Oil, 36
Floor Polish. *See* Polish.
Surfacing, 359
Fly Spray, 29, 372
Flypaper, 30
Foam, Anti-, 232
Anti-freeze, 232
Food, baby, 278
Wrap, 320
Food Products, 233-280
Foot Antiperspirant, 107
Powder, 28
Sweat Relief, 214
Formaldehyde Removal, 352
Foundry Hot Box Binder, 51
- Fruit Coating, Dried, 280
Orange, 280, 336
Fruit Juice Clarification, 265
- Gasket, Refrigerator, 332
Gasoline, Solidified, 45
Glass Etch, 34
Marking Ink, 16
Glassine Paper, 42
Glue, Flexible, 16
Greaseproofing Fiberboard,
44
Paper, 44
Grinding, 21
Grout, 357, 359
Guar Gel, 375
Gum Solutions, Lump-free,
374
- Hair, conditioner, 130
Glosser, 130
Groom, 131
Set, 130, 131
Shampoo. *See* Shampoo.
Styling, 130
Thickener, 134
Wave Set, 137
Heating, 19
Honing Oil, 370
Hydrocortisone Tablet, 219
Hypo Allergenic Lotion, 215
- Ice Cream, dietetic, 253
Sugarless, 253
Ink, Carbon Paper, 92
Fingerprint, 94

- Glass Marking, 16
Laundry Marking, 32
Ink, Printing, 89
 Flexographic, 91, 95
 Overprint, 91, 94
 Polypropylene, 89
 Rotary, 89
 Rotogravure, 93
 Thermoplastic, 89
Remover, 42
Screen, 90
Solvents for, 95
Typewriter Ribbon, 92
Wood Grain, 93
Writing, 32
Insect Killer, 372
 Repellent, 29, 144, 145
 Sting Relief, 216
Insecticide, Wettable Powder, 373
Ion-Exchanger, Cleaning, 364
Itch Relief, 214

Javelle Water, 42
Jelly, Imitation Bakers', 241
 Low Calorie, 261
Juice Clarification, 266

Kaolin-Pectin Suspension, 206

Lacquer, Overprint, 94
Lapping Oil, 370
Laundry, Antichlor, 192
 Bleach, 42
 Blue, 42
 Brightener, 193
 Ironing Aid, 344
 Softener, 192
 Sour, 347
Leather Preservative, 34
 Waterproofing, 34
Leg Cosmetics, 178-180
Lemon Extract, 31
Liniment, Sore-Muscle, 28
Lip Gloss, 137
 Pomade, 138
Lipstick, 134-137
Loss, Preventing Material, 26
Lotion, Analgesic, 144
 Astringent, 144
 Cleansing, 143
 Cologne, 145
 Detergent, 145
 Face, 17
 Germicidal, 143
 Hand, 26, 138-140
 Insect Repelling, 144, 145
 Milky, 26
 Moisturizing, 140
Lubricant, Bottle Cap, 365
 Conveyor, 368
 Dry, 369
 Grease, 365-369
 Gun, 36
 Rubber, 369
 Rustproofing, 369

Make-up, Cosmetic, 174-177
Malted-milk Powder, 31

- Mascara, 127, 128
Mastic, Tile, 57
Measuring, 22
Meat, Processed, 274
Meat, Protein Fortified, 275
 Tenderizer, 274
Metal Oxidizing, 299
Milk, Imitation, 252
 Ice-, 252
 Mellorine, 253
Mixing, 20
Mosquito Oil, 29
Mothproofing, 30
Mouth Wash, 27
.....
Nail Polish Remover, 182
Nichrome Stripping, 297
Nickel Oxide Removal, 298
Nut Blanching, 278
 Coating, 279
 Glaze, 245

Oilproofing Fiberboard, 44
 Paper, 44
Ointment, Antiseptic, 16
 Base, 208
Ophthalmic Ointment, 211
Ore Pellet Binder, 51
Oxidation-Reduction Indicator, 361

Paint. *Also see* Coatings.
 Acrylic, 70
 Anti-block, 86
 Automotive, 72
 Bake, 74
 Camouflage, 74
 Corrosion Resistant, 75, 76
 Dip, 88
Paint, Exterior, 71
 Flatting, 86
 Fluorescent, 81
 Furniture, 74
 High Temperature, 87
 House, 70
 Latex, 84
 Maintenance, 77
 Metal, 85
 Oven, 87
 Remover, 39
 Spray, hot, 85
 Texture, 88
 Traffic, 84
 Urethane 72, 74
 Vinyl, 86
 Water, 88
Paper Coating, 363
 Deinking, 363
 Fireproof, 44
 Glassine, 42
 Recycled Cleaner, 363
 Size, 361
 Slime Control, 364
 Waterproofing, 42
Peanut Butter, Improved, 277
Pelleting, 361
Perfume, 146-148
Pie Fillings, 238-246
Plastic, Adhesive, 61
 Dielectric, 331
 Film, 324

- Flameproof, 323
- Floor, 325
- Foam, 329
- Plastic, Lubricant, 333
 - Metallizing, 283
 - Mold Release, 333
 - Polyester, 326
 - Printing Plate, 330
 - Processing Aids, 334
 - Sheeting, 324
 - Ship Deck, 325
 - Sponge, 329
 - Stabilizers, 321
 - Upholstery, 325
 - Urethane, 326
 - Wire Compound, 324
 - Wood, 39
- Plastisol, 316-318
 - Viscosity Increasing, 318
- Plating, Chromium-nickel, 288
 - Copper, 287, 289, 292
 - Electroforming, 286, 292, 293
 - Electroless, 285, 287
 - Gold, 286
 - Indium, 290
 - Indium-zinc, 291
 - Iron, 293
 - Nickel, 285, 286, 288
 - Uranium, 290
- Poison Ivy Lotion, 215
- Polish, auto, 35, 300-305
 - Floor, 35
 - Bright Drying, 300
 - Furniture, 36, 310
 - Gem Stone, 312
 - Metal, 33, 312
- Polish, Scratched Wood, 311
- Shoe, 34, 35, 313-315
- Stove, 311
- Wash and Wax, 300
- Polishing Stones, 312
- Polybutene, Removing, 332
- Polyvinyl Chloride Asbestos
 - Tile, 319
 - Film, 318
 - Non-Discoloring, 318
 - Sheeting, 319
 - Tile, 320
- Powder, Beading, 361
 - Dispersions, 229
 - Graining, 361
 - Pelleting, 361
 - Wettable, 229
- Powdering, 21
- Primer, Anti-corrosion, 79
 - Epoxy, 77
 - Metal, 82
 - Salt Resistant, 78
 - Wood, 85
- Protein Colloids, Insolubilizing, 375
- Pudding, 260
- Pulverizing, 21
- Putty, 39, 58
- Relish, Green Tomato, 270
 - Hamburger, 271
 - Hot Dog, 270
 - Sweet Pickle, 269
- Resin, Phenolic, 322

- Rock from Soil, 359
 Rubber Cement, 65
 Transparent, 330
 Rust Prevention, 33
 Remover, 42, 284, 295

 Salad Dressing, Blue Cheese, 271
 French, 273
 Italian, 273
 Russian, 272
 Sanitizer. *Also see* Disinfectant.
 Restaurant, 205
 Sauce, Pizza, 269
 Sealant, Automotive, 58
 Glass, 58
 Membrane, 57
 Plastisol, 56
 Structural, 55, 57
 Windshield, 58
 Sealer. *Also see* Adhesive, Caulk.
 Floor Tile, 309
 Linoleum, 309
 Seborrhic Ointment, Anti-, 213
 Shampoo, Anti-dandruff, 156
 Baby, 154
 Clear, 213
 Conditioning, 153
 Creme, 153
 Herbal, 155
 Oil, 155
 Perfume, 158-160
 Pet, 157
 Protein, 150
 Shave, Lotion, 165
 Pre-, 165
 Shaving Cream, Aerosol, 163
 Brushless, 27
 Shortening, Improved, 278
 Silver Stripping, 297
 Sizing, Paper, 361
 Tile, 362
 Wall Board, 362
 Skin Tint, 171, 181
 Slime Control, 364
 Soap, Anti-bacterial, 162
 Bath, 162
 Brightener, 193
 Cleansing Bar, 161
 Cosmetic, 161
 Dry-cleaning, 189
 Transparent, 160
 Soldering Flux, 45
 "Soluble" Oil, 371 *Also See* Cutting Oil.
 Solvent, Printing Ink, 95-98
 Thickening, 377
 Spoilage, Preventing, 21
 Spot Remover, 203, 204 *Also see* Stain Remover.
 Stabilizers, Plastic, 321
 Sunscreen, 165-169
 Surgical Instrument Sterilizer, 220
 Suture Aid, 220
 Syrup, Chocolate, 263
 Low Calorie, 264
 Making, 264

- Tables, Measures, 386
Weights, 386
- Tablet Binder, 218
Disintegrator, 219
- Talcum Powder, 149
- Tanning Lotion, 170
- Tape, Architectural Sealing, 55, 56
Automotive Sealing, 59
- Tartar Sauce, 268
- Temperature Measurement, 19
- Textile, Anti-soil, 342
Anti-static, 342, 343
Back-coating, 345
Binder, 339
Bleach, 347
Brightening, 190
Crush Resistant, 341
Desizing, 351
Dyeing, 349
Finishing 342, 347
Fireproofing, 44, 337
Flocking, 346
Ironing Aid, 344
Non-woven, 339
Oil Release, 342
Permanent Press, 346
Refinish, 344
Scouring, 356
Sizing, 350
Softener, 192
Soil Release, 342
Sour, 347
Stabilizing Corduroy, 346
Waterproofing, 339, 344
- Thickening Ammonia Solution, 378
Dimethyl Sulfoxide, 378
Mineral Spirits, 377
Naphtha, 377
Sulfuric Acid, 379
Undecylenic Acid Solution, 377
Urea, 378
- Throat Oil, 217
- Tile Mastic, 37
PVC-asbestos, 319
- Tinning, 281
- Toilet Water, 146
- Tooth Powder, 27, 28
- Trade Mark Chemical Suppliers, 390-416
- Triple Sulfa Suspension, 214
- Troweling Compound, 359
- Ultraviolet Stabilizer, 321
- Urethane Foam, 326
- Vanilla Flavor, 32
- Varnish, Overprint, 94
- Water Defoaming, Polluted, 364
Jet Improvement, 364
- Waterproofing, Canvas, 43
Cement, 43
Fibreboard, 42
Paper, 42
Shoe, 34
Textile, 43
Wood, 43

- | | |
|---------------------------|-------------------------|
| Wax, Citrus Coating, 336 | Stripper, 204, 309 |
| for Corrugated Board, 336 | Weed Killer, 372 |
| Wax Emulsions, 336 | Weighing, 22 |
| Flameproofing, 336 | Wine Clarification, 267 |
| Improving, 335 | Wood, Plastic, 39 |
| Lubricant Removal, 352 | Preservative, 365 |
| Polishing, 36 | Wound Debridement, 211 |

