





# The Chemical Formulary

*A Collection of Valuable, Timely, Practical,  
Commercial Formulae and Recipes for  
Making Thousands of Products in  
Many Fields of Industry*

VOLUME XIII

*Editor-in-Chief*

**H. BENNETT, F.A.I.C.**

*Director, B. R. Laboratory  
Miami Beach, Florida*



CHEMICAL PUBLISHING COMPANY, INC.

New York

1967

# **The Chemical Formulary, Volume XIII**

© 2011 by Chemical Publishing Co., Inc. All rights reserved. This book is protected by copyright. No part of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means; electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

ISBN: 978-0-8206-0067-3

Chemical Publishing Company:  
[www.chemical-publishing.com](http://www.chemical-publishing.com)  
[www.chemicalpublishing.net](http://www.chemicalpublishing.net)

© 1967 H.Bennett

First Edition:

© **Chemical Publishing Company, Inc.** - New York 1967-2011

Second Impression:

**Chemical Publishing Company, Inc.** - 2011

Printed in the United States of America

Editor-in-Chief  
H. BENNETT

Board of Editors

Albert, J. D.	Mason & Mason, Inc.
Cook, M. K.	Consulting Chemist
Feustel, W. K.	R. T. Vanderbilt Co., Inc.
Harvey, O. C.	BP (Trinidad), Ltd.
Ireland, F.	Brown & Bigelow
Kher, H.	Chief Curry Products
Levey, H. A.	Chemical Engineering Consultant
Levkoff, H.	Sonneborn Division, Witco Chemical Co., Inc.
Mellan, I.	Polychrome Corp.
Noble, E. N.	Velsicol Chemical Corp.
Pickett, H. G.	Paul Smith's College
Roseman, N. I.	Consultant
Rosenthal, M. L.	Robeco Chemicals, Inc.
Shansky, A.	Clairol, Inc.
Steele, F. J.	Ephrata Community Hospital
Szanto, J.	Consultant
Waite, R.	Lake Asbestos of Quebec, Ltd.
Wolf, R. F.	Elastomers Consultant



## PREFACE TO VOLUME XIII

This new volume of the CHEMICAL FORMULARY series is a collection of new, up-to-date formulae. The only repetitious material is the introduction (Chapter I) which is used in every volume for the benefit of those who may have bought only one volume and who have no educational background or experience in chemical compounding. The simple basic formulae and compounding methods given in the introduction will serve as a guide for beginners and students. It is suggested that they read the introduction carefully and even make a few preparations described there before compounding the more intricate formulae included in the later chapters.

The list of chemicals and their suppliers has been enlarged with new trade-mark chemicals, so that buying the required ingredients will present no problem.

Grateful acknowledgement is made to the Board of Editors for their valuable suggestions and contributions.

H. BENNETT

NOTE: All the formulae in Volumes I to XIII (except in the Introduction) are different. Thus, if you do not find what you want in this volume, you may find it in one of the others.

NOTE: This book is the result of cooperation of many chemists and engineers who have given freely of their time and knowledge. It is their business to act as consultants and to give advice on technical matters for a fee. As publishers, we do not maintain a laboratory or consulting service to compete with them. Therefore, please do not ask us for advice or opinions, but confer with a chemist.

Formulae for which patent numbers are listed can be manufactured only after obtaining a license from the patentees.





## PREFACE

Chemistry, as taught in our schools and colleges, concerns chiefly synthesis, analysis, and engineering — and properly so. It is part of the right foundation for the education of the chemist.

Many a chemist entering an industry soon finds that most of the products manufactured by his concern are not synthetic or definite chemical compounds, but are mixtures, blends, or highly complex compounds of which he knows little or nothing. The literature in this field, if any, may be meager, scattered, or obsolete.

Even chemists with years of experience in one or more industries spend considerable time and effort in acquainting themselves with any new field which they may enter. Consulting chemists similarly have to solve problems brought to them from industries foreign to them. There was a definite need for an up-to-date compilation of formulae for chemical compounding and treatment. Since the fields to be covered are many and varied, an editorial board of chemists and engineers engaged in many industries was formed.

Many publications, laboratories, manufacturing firms, and individuals have been consulted to obtain the latest and best information. It is felt that the formulae given in this volume will save chemists and allied workers much time and effort.

Manufacturers and sellers of chemicals will find, in these formulae, new uses for their products. Nonchemical executives, professional men, and interested laymen will make through this volume a "speaking acquaintance" with products which they may be using, trying, or selling.

It often happens that two individuals using the same ingredients in the same formula get different results. This may be due to slight deviations in the raw materials or unfamiliarity with the intricacies of a new technique. Accordingly, repeated experiments may be

---

---

necessary to get the best results. Although many of the formulae given are being used commercially, many have been taken from the literature and may be subject to various errors and omissions. This should be taken into consideration. Wherever possible, it is advisable to consult with other chemists or technical workers regarding commercial production. This will save time and money and help avoid trouble.

A formula will seldom give exactly the results which one requires. Formulae are useful as starting points from which to work out one's own ideas. Also, formulae very often give us ideas which may help us in our specific problems. In a compilation of this kind, errors of omission, commission, and printing may occur. I shall be glad to receive any constructive criticism.

H. BENNETT

## CONTENTS

1. Introduction	13
2. Adhesives	41
3. Cement and Related Products	58
4. Cosmetics and Drugs	76
5. Emulsions	124
6. Foods and Beverages	132
7. Inks	155
8. Metals and Metal Cleaners	160
9. Paints and Lacquers	164
10. Paper	198
11. Polish	210
12. Pyrotechnics	230
13. Rubber, Plastics, Waxes	285
14. Soaps and Cleaners	357
15. Textile Specialties	395
16. Miscellaneous	408
Appendix:	
Tables	423
Chemicals and Supplies	425
Sellers of Chemicals and Supplies	431
Supplementary List of Chemicals and Suppliers	435
Index	439



## ABBREVIATIONS

amp	ampere
amp /dm <sup>2</sup>	amperes per square decimeter
amp /sq ft	amperes per square foot
anhydr	anhydrous
avoir	avoirdupois
bbbl	barrel
Bé	Baumé
B.P.	boiling point
°C	degrees Centigrade
cc	cubic centimeter
c d	current density
cm	centimeter
cms	cubic centimeter
conc	concentrated
c.p.	chemically pure
cp.	centipoise
cu. ft	cubic foot
cu. in.	cubic inch
cwt	hundredweight
d	density
dil	dilute
dm	decimeter
dm <sup>2</sup>	square decimeter
dr	dram
E	Engler
°F	degrees Fahrenheit
ff c	free from chlorine
ff p a	free from prussic acid
fl dr	fluid dram
fl oz	fluid ounce
fl pt	flash point
F.P.	freezing point
ft	foot
ft <sup>2</sup>	square foot
g	gram

---

---

gal.....	gallon
gr.....	grain
hl.....	hectoliter
hr.....	hour
in.....	inch
kg.....	kilogram
l.....	liter
lb.....	pound
liq.....	liquid
m.....	meter
min.....	minim, minute
ml.....	milliliter (cubic centimeter)
mm.....	millimeter
M.P.....	melting point
N.....	Normal
N.F.....	National Formulary
oz.....	ounce
pH.....	hydrogen-ion concentration
p.p.m.....	parts per million
pt.....	pint
pwt.....	pennyweight
q.s.....	a quantity sufficient to make
qt.....	quart
r.p.m.....	revolutions per minute
sec.....	second
sp.....	spirits
Sp. Gr.....	specific gravity
sq. dm.....	square decimeter
tech.....	technical
tinc.....	tincture
tr.....	tincture
Tw.....	Twaddell
U.S.P.....	United States Pharmacopeia
v.....	volt
visc.....	viscosity
vol.....	volume
wt.....	weight

## CHAPTER I

### INTRODUCTION

The following introductory matter has been included at the suggestion of teachers of chemistry and home economics.

This section will enable anyone, with or without technical education or experience, to start making simple products without any complicated or expensive machinery. For commercial production, however, suitable equipment is necessary.

Chemical specialties are composed of pigments, gums, resins, solvents, oils, greases, fats, waxes, emulsifying agents, dyestuffs, perfumes, water, and chemicals of great diversity. To compound certain of these with some of the others requires definite and well-studied procedures, any departure from which will inevitably result in failure. The steps for successful compounding are given with the formulae. Follow them rigorously. If the directions require that (*a*) is added to (*b*), carry this out literally, and do not reverse the order. The preparation of an emulsion is often quite as tricky as the making of mayonnaise. In making mayonnaise, you add the oil to the egg, slowly, with constant and even stirring. If you do it correctly, you get mayonnaise. If you depart from any of these details: If you add the egg to the oil, or pour the oil in too quickly, or fail to stir regularly, the result is a complete disappointment. The same disappointment may be expected if the prescribed procedure of any other formulation is violated.

The point next in importance is the scrupulous use of the proper ingredients. Substitutions are sure to result in inferior quality, if not in complete failure. Use what the formula calls for. If a cheaper

---

product is desired, do not prepare it by substituting a cheaper ingredient for the one prescribed: use a different formula. Not infrequently, a formula will call for an ingredient which is difficult to obtain. In such cases, either reject the formula or substitute a similar substance only after a preliminary experiment demonstrates its usability. There is a limit to which this rule may reasonably be extended. In some cases, substitution of an equivalent ingredient may be made legitimately. For example, when the formula calls for white wax (beeswax), yellow wax can be used, if the color of the finished product is a matter of secondary importance. Yellow beeswax can often replace white beeswax, making due allowance for color, but paraffin wax will not replace beeswax, even though its light color seems to place it above yellow beeswax.

And this leads to the third point: the use of good-quality ingredients, and ingredients of the correct quality. Ordinary lanolin is not the same thing as anhydrous lanolin. The replacement of one with the other, weight for weight, will give discouragingly different results. Use exactly what the formula calls for: if you are not acquainted with the substance and you are in doubt as to just what is meant, discard the formula and use one you understand. Buy your chemicals from reliable sources. Many ingredients are obtainable in a number of different grades: if the formula does not designate the grade, it is understood that the best grade is to be used. Remember that a formula and the directions can tell you only part of the story. Some skill is often required to attain success. Practice with a small batch in such cases until you are sure of your technique. Many examples can be cited. If the formula calls for steeping quince seed for 30 minutes in cold water, steeping for 1 hour may yield a mucilage of too thin a consistency. The originator of the formula may have used a fresher grade of seed, or his conception of what "cold" water means may be different from yours. You should have a feeling for the right degree of mucilaginousness, and if steeping the seed for 30 minutes fails to produce it, steep them longer until you get the right kind of mucilage. If you do not know what the right kind is, you will have to experiment until you find out. This is the reason for the recommendation to make small experimental batches until successful results are obtained. Another case is the use of



dyestuffs for coloring lotions and the like. Dyes vary in strength; they are all very powerful in tinting value; it is not always easy to state in quantitative terms how much to use. You must establish the quantity by carefully adding minute quantities until you have the desired tint. Gum tragacanth is one of those products which can give much trouble. It varies widely in solubility and bodying power; the quantity listed in the formula may be entirely unsuitable for your grade of tragacanth. Therefore, correction is necessary, which can be made only after experiments with the available gum.

In short, if you are completely inexperienced, you can profit greatly by experimenting. Such products as mouth washes, hair tonics, and astringent lotions need little or no experience, because they are, as a rule, merely mixtures of simple liquid and solid ingredients, which dissolve without difficulty and the end product is a clear solution that is ready for use when mixed. However, face creams, tooth pastes, lubricating greases, wax polishes, etc., whose formulation requires relatively elaborate procedure and which must have a definite final viscosity, need some skill and not infrequently some experience.

#### *Figuring*

Some prefer proportions expressed by weight or volume, others use percentages. In different industries and foreign countries different systems of weights and measures are used. For this reason, no one set of units could be satisfactory for everyone. Thus divers formulae appear with different units, in accordance with their sources of origin. In some cases, parts are given instead of percentage or weight or volume. On the pages preceding the index, conversion tables of weights and measures are listed. These are used for changing from one system to another. The following examples illustrate typical units:

#### EXAMPLE No. 1

##### Ink for Marking Glass

Glycerin	40	Ammonium Sulfate	10
Barium Sulfate	15	Oxalic Acid	8
Ammonium Bifluoride	15	Water	12

Here no units are mentioned. In this case, it is standard practice

to use parts by weight throughout. Thus here we may use ounces, grams, pounds, or kilograms as desired. But if ounces are used for one item, the ounce must be the unit for all the other items in the formula.

## EXAMPLE No. 2

## Flexible Glue

Powdered Glue	30.90%	Glycerin	5.15%
Sorbitol (85%)	15.45%	Water	48.50%

Where no units of weight or volume, but percentages are given, forget the percentages and use the same method as given in Example No. 1.

## EXAMPLE No. 3

## Antiseptic Ointment

Petrolatum	16 parts	Benzoic Acid	1 part
Coconut Oil	12 parts	Chlorothymol	1 part
Salicylic Acid	1 part		

The instructions given for Example No. 1 also apply to Example No. 3. In many cases, it is not wise to make up too large a quantity of a product before making a number of small batches to first master the necessary technique and also to see whether the product is suitable for the particular purpose for which it is intended. Since, in many cases, a formula may be given in proportions as made up on a factory scale, it is advisable to reduce the quantities proportionately.

## EXAMPLE No. 4

## Neutral Cleansing Cream

Mineral Oil	80 lb	Water	90 lb
Spermaceti	30 lb	Glycerin	10 lb
Glyceryl Monostearate	24 lb	Perfume	To suit

Here, instead of pounds, ounces or even grams may be used. This formula would then read:

Mineral Oil	80 g	Water	90 g
Spermaceti	30 g	Glycerin	10 g
Glyceryl Monostearate	24 g	Perfume	To suit

---

Reduction in bulk may also be obtained by taking the same fractional part or portion of each ingredient in a formula. Thus in the following formula:

## EXAMPLE No. 5

## Vinegar Face Lotion

Acetic Acid (80%)	20	Alcohol	440
Glycerin	20	Water	500
Perfume	20		

We can divide each amount by ten and then the finished bulk will be only one tenth of the original formula. Thus it becomes:

Acetic Acid (80%)	2	Alcohol	44
Glycerin	2	Water	50
Perfume	2		

*Apparatus*

For most preparations, pots, pans, china, and glassware, which are used in every household, will be satisfactory. For making fine mixtures and emulsions, a malted- milk mixer or egg beater is necessary. For weighing, a small, low-priced scale should be purchased from a laboratory-supply house. For measuring fluids, glass graduates or measuring glasses may be purchased from your local druggist. Where a thermometer is necessary, a chemical thermometer should be obtained from a druggist or chemical-supply firm.

*Methods*

To understand better the products which you intend to make, it is advisable that you read the complete section covering such products. You may learn different methods that may be used and also to avoid errors which many beginners are prone to make.

*Containers for Compounding*

Where discoloration or contamination is to be avoided, as in light-colored, or food and drug products, it is best to use enameled or earthenware vessels. Aluminum is also highly desirable in such cases, but it should not be used with alkalis as these dissolve and corrode aluminum.

*Heating*

To avoid overheating, it is advisable to use a double boiler when

---

temperatures below 212°F (temperature of boiling water) will suffice. If a double boiler is not at hand, any pot may be filled with water and the vessel containing the ingredients to be heated placed in the water. The pot may then be heated by any flame without fear of overheating. The water in the pot, however, should be replenished from time to time; it must not be allowed to "go dry." To get uniform higher temperatures, oil, grease, or wax is used in the outer container in place of water. Here, of course, care must be taken to stop heating when thick fumes are given off as these are inflammable. When higher uniform temperatures are necessary, molten lead may be used as a heating medium. Of course, with chemicals which melt uniformly and are nonexplosive, direct heating over an open flame is permissible, with stirring, if necessary.

Where instructions indicate working at a certain temperature, it is important to attain the proper temperature not by guesswork, but by the use of a thermometer. Deviations from indicated temperatures will usually result in spoiled preparations.

#### *Temperature Measurement*

In the United States and in Great Britain, the Fahrenheit scale of temperature is used. The temperature of boiling water is 212° Fahrenheit (212°F); the temperature of melting ice is 32° Fahrenheit (32°F).

In scientific work, and in most foreign countries, the Centigrade scale is used, on which the temperature of boiling water is 100° Centigrade (100°C) and the temperature of melting ice is 0° Centigrade (0°C).

The temperature of liquids is measured by a glass thermometer. This is inserted as deeply as possible in the liquid and is moved about until the temperature reading remains steady. It takes a short time for the glass of the thermometer to reach the temperature of the liquid. The thermometer should not be placed against the bottom or side of the container, but near the center of the liquid in the vessel. Since the glass of the thermometer bulb is very thin, it breaks easily when striking it against any hard surface. A cold thermometer should be warmed gradually (by holding it over the surface of a hot liquid) before immersion. Similarly the hot thermometer when taken out

## INDEX

- Abrasion-resistant Varnish, 169
- Abrasive, 214
  - Detergent Cake, 359
- Acidproof Coating, 187
- Acne Lotion, 113
- Acoustic Coating, 188
- Adhesive(s); *see* Glazing, Putty
  - Acoustic tile, 46
  - Aluminum to paper, 47
    - to polyethylene, 47
  - Asphalt tile, 44
  - Bottle cap liner, 48
  - Building construction, 49
  - Casein, 50
  - Ceramic, 44
  - Ceramic tile, 54
  - Chemical-resistant, 52
  - Cloth to cloth, 52
    - to paper, 52
    - to wood, 52
  - Construction, 49
  - Contact, 42, 53
  - Dry combining, 42
  - Epoxy, 56, 57
  - Ethyl Cellulose, 41
  - Fabric-seaming, 48
  - Flooring, 43
  - Floor tile, 45
  - Freeze-resistant, 45
  - Glass to metal, 52
  - Gum Arabic, 56
  - Heat-sealing, 52
  - High-viscosity, 42
  - Label, 46
  - Lacquer, 52
  - Laminating, 48
  - Leather, 51
  - Liner board, 46
  - Metal to glass, 52
  - Non-Flammable, 43
  - Packaging tape, 43
  - Paper (corrugated), 56
  - Plastic to rubber, 51
  - Polyester, 57
  - Polyethylene, 47
  - Polystyrene, 44, 53
  - Polystyrene to rubber, 51
  - Polyvinyl chloride, 53
- Adhesive(s), Pressure-sensitive, 45, 49, 53
  - P.V.C., 53
  - Quick-setting, 64
  - Resin emulsion, 41
  - for Rock samples, 56
  - Rubber, 42, 43
  - Rubber mat, 43
  - Rubber to polystyrene, 54
  - Rug, 49
  - Self-curing, 43
  - Solvent type, 41
  - Starch, 56
  - Structural, 49
  - "Styrafoam," 53
  - Tacky, 42
  - Tape, 43
  - Tile, 44
  - Vinyl, 53
  - Vinyl resin, 57
- Aerosols,
  - After-shave Lotion, 95
  - Artificial Snow, 164
  - Cleaner, 362, 370, 377, 378, 384
  - Disinfectant, 120
  - Fabric Sizing, 395
  - Hair Spray, 108
  - Insecticide, 121
  - Lens cleaner, 371
  - Mildew-proofing, 402
  - Polish, 210, 217
  - Shaving Cream, 93
  - Starch, 396
  - Temporary Paint, 165
  - Window cleaner, 370
- Air Pollution, Purifying Exhaust, 410
- All-Purpose, Cleaners, 74
  - Cream, 77
  - Lotion, 83
- Almond Lotion, 83
- Ammunition Primer, 230
- Anti-microbial Spray, 120
- Anti-skinning Agent, 188
- Anticrack Finish, 399
- Antifreeze, 410
  - Anticorrosive, 409
  - Anti-Seep for, 409
- Antiperspirants, 114, 115

- Antistatic agents, 299, 323, 400  
 Artificial Sweeteners, 148-152  
 Asbestos-Cement Pipe and Sheet, 58  
 Asphalt Antistripping, 412  
 Asparagus Soup, 132  
 Asphalt Tile Adhesive, 44  
 Athlete's Foot Remedy, 118  
  
 Baby Oil, medicated, 119  
 Back Rub, Analgesic, 119  
 "Bakelite" Remover, 196  
 Bath, Bubble, 93  
 Bath Extract, Medicated, 93  
 Bath Gel, 92  
 Bath Oil, 92  
 Beef Soup Base, 132  
 Beeswax, Bleaching of, 355  
 Bending, of Ivory, 413  
   of Tortoise Shell, 413  
 Beverage(s), Flavors for, 148  
   glasses, cleaner for, 373  
   Low-caloric, 150  
   Syrups for, 149  
   Non-Carbonated, 153  
 Birch Beer Flavor, 148  
 Bleach, "Acrilan," 401  
   for Coral, 393  
 Bleach, Dry, Base, 391  
   for "Dacron," 400  
   Detergent, 391  
   for Fat, 353  
   Household, 390  
   for Japan Wax, 352  
   Laundry, 391  
   Liquid Cream, 105  
   for Nylon, 401  
   for Oil, 353  
   for "Orlon," 401  
   Pellets, 389  
   Powdered, 390  
   Scouring, 392  
   Sodium Chlorite, 392  
   Stabilized, 390  
   Synthetic Resin, 226  
   for "Teflon," 402  
   for Wax, 353  
   for Wood, 418  
 Bluing, Laundry, 393  
 Bonding, Improving of, 56  
 Book Poison, 123  
 Bouillon, Granulated, 133  
 Brake Facing, 414  
 Brass Polish, 213  
 Brush Cleaning, 188  
 Bubble Bath, 93  
  
 Burnishing, *see* Polish  
   Aluminum, 215  
   Brass, 215  
   Nickel, 215  
   Stainless Steel, 214  
   Steel, 215  
  
 Calamine Lotion, 112  
 Candle, Oxygen, 410  
   Wick for, 410  
 Carbon Brush, Dynamo, 419  
 Carbon Remover, Engine, 367  
 Carpets, Back-sizing for, 396  
 Casein Adhesive, 50  
   Plastic, 351  
 Cathode Tube Cleaner, 371  
 Caulking Compound, 67, 71, 73  
 Cellulose Gum, 150  
 Cement; *see* Adhesives  
   Asbestos, 58  
   Coloring of, 67  
   Gum, 42, 43  
   Hydraulic, 411  
   Joint, 63  
   Latex Compound of, 58  
   Mortar, 59  
   "Neoprene," 59  
   Non-Caking, 411  
   Paint, 170  
   Patching Compound, 59  
 Cement, Portland, with Latex, 58  
   Retarder for, 58  
   Retarding Setting of, 411  
   Rubber, 42  
   Sprayable rubber, 65  
   Quick-setting adhesive, 64  
 Cement Underlayment, 60  
 Ceramic Casting Bodies, 66  
 Ceramic Coating, Elastic, 187  
 Ceramic Whitener, 66  
 Chapped Skin Lotion, 112  
 Charcoal Salt, 140  
 Chemicals, Incompatible, 420  
 Chlorine, Removing Taste of, 408  
 Chlorine Stabilizer, 408  
 Chocolate, powder for ice cream, 145  
   Pudding, 143  
   Syrup, 144  
 Chromium, Cleaner for, 367  
 Clam Chowder, 133  
 Clay, Modelling, 413  
   "Narvon," 117  
 Cleaner(s), Acid, 362  
   Aerosol, 362, 370, 377, 378, 384  
   Aiplane, 365  
   All-purpose, 74, 383

- Cleaner(s)*, Aluminum, 365  
Auto, 210  
Bleaching, 392  
Boat Bilge, 367  
Bottle, 372, 373  
Bowling Pin, 386  
Brass, 367  
Brush, 188, 393  
Bumper, 161  
Cathode Tube, 371  
Cement Floor, 379  
Ceramic, 74  
Chromium, 367  
Copper, 360, 367  
Denture, 111  
Diphase, 361  
Dish, 373, 374  
Disinfectant, 119-121  
Dry-, 381  
Electrolytic, 360  
Engine Carbon, 367  
Equipment, 361  
Fabric, 373  
Floor, 379  
Frying Pan, 389  
Germicidal, for Rugs, 380  
Glass, 75, 369, 373  
Heavy-Duty, 360, 361  
Hospital, 388  
Industrial, 378  
Leather, 392  
Lens, 370  
Machinery, 361  
Metal, 160, 360, 367, 368  
Metal Stain, 367  
Milk Bottle, 372  
Mopping, 380  
Optical Glass, 370  
Oven, 367  
Paint Brush, 393  
Plastics, 386  
Porcelain, 74, 377  
Radiator, 368  
Radio Parts, 368  
Railroad Car, 367  
Reusable Cloth, 368  
Rubber, 381  
Rug, 380  
Shop Floor, 379  
Silicone, for Grease, 371  
Silver, 211, 212, 366  
Soaker, 360  
Solvent, 387  
Stainless Steel, 214, 367  
Steam, 361  
Street, 389  
*Cleaner(s)*, Synthetic Textile, 380  
Tile, 74, 377  
Tire, 386  
Truck, 379  
Upholstery, 381  
Wall, 384  
Waterless, for Hands, 358  
Window, 370  
Cloth, *see* Fabric, Textile  
Cleaning, Reusable, 368  
Clutch Facing, 414  
Coating, Hot-melt, 206  
Paper, 166, 198-204  
Pearly, 183  
Polyester, 341  
Waterproof, 323  
Wax, 353  
Weatherproof, 175  
for Wood, 204  
Codfish Cakes, Frozen, 138  
Cold waving, products for, 105-107  
Color, Coating, 200  
Coloring Cement, Concrete, Plaster,  
Stucco, 67  
Plastics, 336  
Concrete, Coloring of, 67  
Light-weight, 65  
Coagulant, Latex, 302  
Coating(s); *see* Paint  
Acoustic, 188  
Acidproof, 187  
Cloth, 166  
Corrosion-proof, 187  
Fabric, 312  
Hot-Melt, 206  
Metallic, for paper, 169  
for Metals, 323  
Non-Corrosive, 323  
Nonflammable, 187  
Non-Toxic, 168  
Plastic, 323  
Polyurethane, 174  
Strip, 305  
Strippable, 164  
Patching, 62  
Resurfacing, 62  
Copolymerization, Emulsion, 350  
Copper, Polish for, 214  
Tarnish Proof, 162  
Correction Fluid, Carbon Paper, 159  
Corrosion-proof Coating, 187  
Crab Cakes, 137  
Cream, All-Purpose, 77  
Base, Cosmetic, 79  
Cationic, 79  
Cleansing, 78

- Cream*, Cold, 78  
 Day, 78  
 Depilatory, 119  
 Emollient, 79  
 Face, 78  
 Hand, 81  
 Lip, Rouge, 88  
 Liquid cosmetic, 78  
 Make-up, 86  
 Hair Rinse, 101  
 Shampoo, 100  
 Massage, 80  
 Moisturizing, 77, 79  
 Night, 77, 78  
 Protective, for hands, 81  
 Crush-Resistant Finish, 398  
 Curry Powder, 138  
  
 "Dacron," Antistatic for, 400  
 Swelling of, 405  
 Dandruff Remover Shampoo, 101  
 Decolorizing, *see* Bleach  
 Degreaser, 127  
   Engine, 367, 368  
   Metal, 368  
   Oil-Tank, 369  
 Degreasing Hides, 416  
 Dehumidifier, 414  
 Deicer, Gasoline, 409  
   Windshield, 408, 409  
 Dental Impression, Wax for, 355  
 Denture Cleaner, 111  
   Liner, 325  
 Deodorizing Block, 414  
 Depilatory Cream, 119  
 Detergent; *see* Cleaner, Soap  
   Abrasive Cake, 359  
 Detergent Bars, 376  
   Briquette, 382  
   Hard Water, 384  
   Laundry, 382  
   Light-Duty, 373  
   Sanitizers, 387  
   Synthetic Textiles, 380  
   for Washing Eggs, 381  
   Synthetic, 382  
 Deodorant Spray, 116  
 Depilatory Cream, 119  
 Developer, Photographic, 415  
 Dishwashing Compounds, 374, 375  
 Disinfectant; *see* Sanitizer  
   Aerosol, 120  
   Cleaner, 119, 121  
 Dry Cleaner, 381  
 Duplicating Paper, Colorless, 208  
 Dye Carrier, 403  
  
 Dyeing; *see* Coloring  
 Dyeing Aid, 405  
  
 Ebonite, 300  
 Eggs, Detergent for, 387  
 Elastomers, 285  
 Electronic Tube Cutter, 411  
 Elixir, Atrobarbital, 114  
 Embossing Pitch, Jewelers', 413  
 Emulsion(s), Adhesive, 41, 44, 54  
   Anionic, 222  
   Bright-Drying, 129  
   Cationic, 222  
   Copolymerization, 350  
   Cleaning, 362  
   "Crown" Wax, 210  
   "Durmont," 204  
   Insecticidal, 130  
   Kerosine, 363, 367  
   Mixed Wax, 218, 219, 220, 227  
   Nonionic, 222  
   Oil, 125  
   Paraffin Wax, 405  
   Polybutene, 127  
   Polyethylene, 130  
   Solvent, 362  
   Tile adhesive, 44, 45  
   Vinyl, 124  
   "Vistanex," 127  
   Wax-Polyethylene, 216  
 Epoxy Casting Resin, 302  
 Eraser, "Art-Gum" type, 315  
 Ethyl Cellulose, Adhesive, 41  
   Casting, 303  
 Eyebrow Make-Up, 91  
 Eye Liner, 90  
 Eye Oil, Stick, 92  
 Eye Shadow, 89  
  
 Fabric; *see* Cloth, Textile  
   Coating, 312  
   Softeners, 397  
 Fiberglass, Resin, 327  
 Filler, Wood, 173  
 Fingerprints, Removing, 162  
 Fire Extinguisher, 415  
 Fireproofing; *see* Flameproofing  
 Flameproofing, 403  
 Flare, Magnesium, 230  
 Flattening Agent, 188  
 Flavors, Beverage, 148, 149  
   Food, 145  
   Tooth powder, 111  
 Flowers, Preserved, 320  
 Foam, Chlorinated Resin, 330  
   Polystyrene, 322



- Foam*, Rigid Plastic, 335  
     Urethane, 329  
     PVC, 815  
 Food, 900-Calorie Concentrate, 145  
     Health, 139  
 Friction Base, 414  
 Fruit, Wax Coating for, 356  
     Low-Calorie Canned, 146  
 Fuel, Reaction Motor, 409  
     Rocket, 409  
 Fur, Bleach for, 418  
  
 Gasoline, Deicer for, 409  
     Non-Stalling, 410  
 Gel, Thickening, 325  
 Gelatin Plasticizer, 419  
 Germicide; *see* Sanitizer  
 Germicidal Rinse, 389  
 Getter, Electronic Tube, 411  
 Glass Cleaner, 75, 369, 373  
 Glaze, Greenhouse, 68  
 Glazing Compound, 67, 69  
 Gloss Oil, 188  
 Glue; *see* Adhesive  
 Gravy, Base for, 132  
     Powder, Non-Fat, 136  
     Turkey, 136  
 Greaseproof Coating, 166  
 Greaseproofing Paper, 206  
 Greenhouse Glaze, 68  
 Grout, Mortar, 411  
 Gum Arabic Adhesive, 56  
 Gum Cement, 42  
     Non-Flammable, 43  
  
 Hair, Conditioner, 101, 102  
     Cream, 104  
     Rinse, 101  
     Shampoo, 98-101  
     Aerosol Spray, 108  
     Straightener, 107  
     "Tonic," 104  
 Hair Waving, Cold, 105  
     Neutralizer, 107  
 Heat-Dilatable Compound, 413  
 Heat-sealing Adhesive, 52  
 Hot-Melt Coating, 206  
 Hydraulic Fluid, 419  
 Hypochlorite, Stabilized, 390  
  
 Ice Cream Syrup, 144  
 Ice, Road, Melting of, 410  
 Infra-Red Absorber, 419  
 Inhibitor, Radiator Rust, 161  
 Ink, Black Litho, 157  
     Flexographic, 157  
     Heat-Set Printing, 155  
         Hectograph, 159  
         Steam-Set, 156  
         Letterpress, 156  
         Litho, 156  
         Magnetic, 156  
         Metallic Printing, 159  
         Newspaper, 155  
         Offset, 156  
         Printing, 155  
         Rotary Press, 158  
         Rotogravure, 156  
         Silk Screen, 158  
         Vapor-Set, 157  
         Water Printing, 158  
     Inner Tube Patching, 43  
     Insect Repellent, 112  
     Insecticide(s), 121-123  
         Aerosol, 121  
         Emulsion, 130  
     Insulation, 294, 320  
         Thermal, 412  
     Insulator, Sulfur, 413  
  
 Jelly, Low-Calorie, 147, 148  
 Jeweler's Embossing Pitch, 413  
  
 Label Remover, 373  
 Lacquer, Adhesive, 52  
 Lacquer, for Airplane Fabric, 179  
     Camouflage, 183  
     Cellulosic, 177, 178  
     Ethyl Cellulose, 177  
     Flameproof, 180  
     Flow-Back, 184  
     Hard, 179  
     Metal, 181, 182  
     Nitrocellulose, 179  
     for Paper, 170, 178  
     for Pearl beads, 182, 183  
     Plastic, 175  
     Remover, 196  
     Rubber, 184  
     Strippable, 185  
     Thinner, 180  
     for Wood, 185  
 Laminate, Polyester fabric, 348  
 Lapidary Polish, 214  
 Latex, Casting, 300  
     Coagulant for, 302  
     Dipping, 301  
     Heat-sensitive, 301  
 Laundry Softener, 393  
 Leaks, Vapor, Detecting of, 419  
 Leather Adhesive, 51  
 Lens Cleaner (Aerosol), 371

- Lipstick Base, 86  
 Lotion, All-Purpose, 83  
   Almond, 83  
   Hand, 82  
 Low-Calorie Foods, 141, 142  
 Lubricant, Plastic, 324  
   for Radio Parts, 368  
  
 Magnetic Paint, 187  
 Make-Up, 83, 86  
   Base, Medicated, 117  
   Cake, 89  
   Remover, 115  
 Marquisette Finish, 398  
 Marshmallow, 144  
 Mastic; *see* Adhesive  
 Mastic, Ceramic tile, 54  
 Match, Safety, 230, 284  
 Match Striker, Safety, 231  
 Meringue, 143  
 Metal Cleaner, 160  
 Microbial (Anti-) Spray, 120  
 Mildewproofing, Aerosol, 402  
 Military Pyrotechnics, 230  
 Milk Stone, Removing, 372  
 Moistureproofing Paper, 206  
 Mold Release, 302, 322  
 Modelling Clay, 413  
 Molding, Centrifugal, 312, 313  
   Compound, Polyester, 342, 349  
   Slush, 312, 313  
   Wax, Metal, 352  
 Mortar, Cement, 59  
   Cementless, 61  
   Grouting, 411  
   Synthetic, 61  
 Mouth Wash, 111  
  
 "Neoprene" Adhesive, 59  
 Nylon, Self-Sterilizing, 318  
 Odor; *see* Deodorizing  
 Oil Emulsion, 125, 126  
 Ointment, Base, 116  
   Cod Liver Oil, 115  
  
 Organosols, PVC, 310  
 "Orlon," Swelling of, 406  
 Oxygen Candle, 410  
 Oxygen Remover, 411  
  
 Paint; *see* Lacquer, Varnish  
   Brush Cleaning, 188  
   Cement, 170  
   Fire-Retardant, 171  
   Glass, 164  
   Magnetic, 187  
   Masonry, 170  
   Remover, 190-196  
   Spray, 165  
   Swimming Pool, 172  
   Temporary, 165  
   Texture, 187  
   Tire, 188  
   Water, 187  
 Paper(s), Coatings, 159, 198, 204  
 Paper, Duplicating, 208  
   Electrolytic Recording, 208  
   Glossy, 204  
   Greaseproofing, 206  
   Moistureproofing, 206  
   Tarnish-preventing, 608  
   Transparentizing, 208  
 Paraffin, Light-stable, 353  
   Non-sweating, 353  
 Paraffin Wax, Solvent for, 356  
 Patching, Cement, 59, 62  
   Inner tube, 43  
 Pearly Coating, 182, 183  
 Peridental Pack, 111  
 Phonograph Record, 318, 319  
 Photographic Developer, 415  
 Pilling ("Orlon"), Reducing, 399  
 Pine Oil, Soluble, 121  
 Pitch, Embossing, 413  
 Plaster, 411  
   Coloring, 67  
   Light weight, 65  
 Plastic(s), Bearing, 323  
   Coloring, 336  
   Hot-Melt, 303  
   Fire-Retardant, 325  
   Fluorescent Coloring of, 336  
   Foam, 312  
   Stabilizer, 315  
   Quick-Setting casting, 304  
 Plasticizer, 299  
   Gelatin, 419  
 Plastigel, PVC, 314  
 Plastisol, PVC, 311  
 Poison Ivy Treatment, 113  
   Oak Treatment, 113  
 Polish, Aerosol, 210  
   Auto, 210  
   Brass, 213  
   Bright Drying, 128  
     *see* Wax, Self-Polishing  
   Copper, 214  
   Floor, 129, 218-228  
   Furniture, 218  
   Glass, 369  
   Lapidary, 214  
   Porcelain, 377

- Polish*, Shoe, 215-217  
Silicone, 210, 218  
Silver, 211, 214  
Stainless Steel, 214  
(Wax), Remover, 223, 229  
Polyamide Solvent, 352  
Polybutene Emulsion, 127  
Polyesters, 339-350  
  Coloring of, 337  
Polyethylene, Coloring, 336  
Polyethylene emulsion, 130  
Polystyrene Adhesive, 44  
  Flame-Resistant, 325  
Polythene; *see* Polyethylene  
Polyvinyl Chloride, 338  
  Calendered, 305-310  
    Film, 306, 309, 311  
    Flooring, 307  
    Hose, 308  
    Foam, 316-318  
  Organosols, 310  
  Plastisols, 311  
  Stabilizers, 315  
Potting Compound, Electrical, 352  
Poultry-Defeathering Wax, 355  
Powder (Face) Base, 84, 85  
Preservative(s), Awning, 402  
  Fabric, 402  
  Rope, 402  
  Table of, 417  
  Wood, 416  
Primer, Ammunition, 230  
Printing Roller, 415  
Prophylactic Latex, 118  
Protein Food Mix, 145  
  Stabilizer, Latex, 301  
Pudding, Chocolate, 143  
  Low-Calorie, 142  
  Vanilla, 142  
Pumpkin Seed Snack, 139  
Putty, 69-71  
PVC; *see* Polyvinyl chloride  
Pyrotechnics, 230  
  
Radiator Anti-Leak, 409  
Radiator Cleaner, Auto, 161  
Rat Killer, 123  
Releasing Agent, Molds, 322  
Remover, Silicone, 305  
Resin, Bleaching Synthetic, 226  
  Emulsion, 41  
  Leveling Solution, 227  
  High-Heat Distortion, 320  
Retting Bast Fibers, 407  
Ring-worm Remedy, 118  
Roach Powder, 122  
  
Rocket Fuel, 409  
Rodenticide, 123  
Roofing Granules, 67  
Rouge, 88, 89  
Rubber; *see* Gum  
  Cement, 42  
    Sprayable, 65  
  Crumb, 302  
  Cyclicizing, 56  
  Flameproof, 295  
  Foam, 298  
  GRS, 285-297  
  Hard, 299, 300  
  Hydrochloride Film, 322  
  Oil-Resistant, 293  
  Sponge, 297  
Rug Shampoo, 380  
Rust Inhibitor, Volatile, 208  
Rust Remover, 160, 161, 363, 364  
  
Salad Dressing, 140  
  Low-Calorie, 141  
  Stabilizer for, 141  
Salt, Charcoal Flavor, 140  
Sanitizer, Detergent, 387  
Sauce, Mushroom, 135  
  Oriental Soy, 136  
  Pizza, 136  
  Worcestershire, Powdered, 135  
Sausage, Fresh Pork, 139  
Scouring Cleaners, 392  
Sealing Compound, 352  
Seasoning, 139  
Sequestrant, 408  
Scale Removal, Rust, 364  
Scouring "Dacron," 406  
  Nylon, 406  
  "Orlon," 407  
Screen-Process Vehicle, 186  
Shampoo(s), 98-101  
  Bacteriostatic, 99  
  Cream, 100  
  Dandruff remover, 101  
  for Rugs, 380  
Shaving Cream, Aerosol, 93  
Shaving Lotion, (After-), 95  
  Pre-electric, 95  
Shellac, Reconditioning, 305  
  Aqueous Solution, 216  
  Substitute for, 189  
Silicone Remover, 196, 305  
Silver Cleaner, 211  
  Dip, 366  
  Polish, 211, 214  
Sizing, for Carpet Back, 396  
  Fabric, 395

- 
- Sizing*, Glass Yarn, 395  
 Slasher, 397  
 Skin, Creams for, 76-83  
     Lotions, 83, 114  
 Slashing "Orlon," 395  
 Slip-Agent, Rubber, 300  
 Smoke, Military, 230, 231  
 Snow, Artificial (Aerosol), 164  
 Soaker Cleaner, 360  
 Soap, *see* Cleaner  
     Coconut, 357  
     Cottonseed, 357  
     Drycleaning, 381  
     Pine-Oil, 357  
     Dedusting Powder, 358  
     Pumice, 359  
     Saddle, 376  
     Scrub, 357  
     Soya, 357  
 Soap, Superfatting for, 358  
 Softener, Fabric, 397  
     Leather, 416  
     Water, 408  
 Soiling Compound, 394  
 Solder, Cold, 57  
 Solvent, for "Dacron," 407  
     Gelled Silicone, 305  
     for Nylon, 407  
     for "Orlon," 407  
     Paraffin Wax, 356  
 Soundproof Coating, 188  
 Soup, Asparagus Cream, 132  
     Beef, 132  
     Onion, Powdered, 134  
     Vichyssoise, 134  
 Spackling Compound, 63  
 Sponge Rubber, 297  
 Spot Remover, 381  
 Stabilizer, Polystyrene, 326  
     PVC, 315  
 Stain Removal, "Dacron," 405  
 Starch, Aerosol, 396  
     Laundry, 396  
     Adhesive, 56  
 Static, Anti-, 299, 320-324, 400  
 Stripper, *see* Remover  
     Paint, 190, 192-196  
 Stucco, Coloring, 67  
 Sugar Substitute, 118  
 Sulfur, Free-Flowing, 415  
 Sunscreen, Skin, 112  
 Suntan gel, 97  
     Lotion, 95  
     Oil, 97  
 Superfatting Soap, 358  
 Sweeteners, Artificial, 118, 150  
 Syrups, Ice-Cream, 144  
     Low-Calorie Beverage, 149  
 Tape, Adhesive for, 43  
 Tarnish, Anti-, 164  
 Tarnish-Preventing Paper, 208  
 Textile, *see* Cloth, Fabric  
     Preservative for, 402  
     Waterproofing, 405  
 Thickening Trichloroethylene, 414  
     Water, 325  
 Thinner, Lacquer, 180  
 Thread Sealer, for Metals, 162  
 Tile, Ceramic, Adhesive, 44  
     Cleaner, 377  
     Rubber, 296  
     Sealer, 229  
     Vinyl asbestos, 66  
 Tire, Flat, Sealer and Filler for, 411  
     Cord, Dip for, 400  
 Toothpaste, 109  
 Trichloroethylene, Stabilizing, 414  
     Thickening, 414  
 Urethane Foam, 328-336  
     Varnish, 173  
 Varnish, *see* Paint  
     Abrasion-resistant, 169  
     Overprint, 168  
     Paper, 168  
     Polyester, 344  
     Remover, 190-196  
     Spirit Label, 169  
     Urethane, 173  
 Vesicant-resisting Film, 352  
 Vinyl, *see* Polyvinyl  
 Vitamin Cream, 116  
 Wallpaper, Removing, 385  
 Wall Patching, 170  
 Water, Improving Taste of, 408  
     Softener, 408  
 Waterproofing, Absorbent Cotton, 405  
     Brick, 412  
     Laundry, 404  
     Leather, 415  
     Masonry, 171, 412  
     Textile, 405  
 Wax, Bleaching, 352, 353  
     Cream, 355  
     Defeathering, 355  
     Dental, 355  
     Flexible, 352

- 
- |                                     |                                 |
|-------------------------------------|---------------------------------|
| <i>Wax</i> , for Coating Fruit, 356 | Wood, Bleach for, 418           |
| Metal-Molding, 352                  | Filler, 173                     |
| Non-Sweating Paraffin, 353          | Hardener, 416                   |
| Polish, 222-228                     | Improver, 173                   |
| Remover, 223                        | Preservative, 416               |
| Raising Melting Point of, 356       |                                 |
| Self Polishing, 219                 | Zirconium Oxide Suspension, 214 |





