

The Chemical Formulary

*A Collection of Commerical Formulas,
Collected During 1968, for Making
Thousands of Products in
Many Fields*

VOLUME XV

Editor-in-Chief

H. BENNETT, F.A.I.C.

*Director, B. R. Laboratory
(Formula Consultants)
Miami Beach, Florida, 33140*

CHEMICAL PUBLISHING COMPANY, INC.
New York 1970

The Chemical Formulary, Volume XV

© 2011 by Chemical Publishing Co., Inc. All rights reserved. This book is protected by copyright. No part of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means; electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

ISBN: 978-0-8206-0069-7

Chemical Publishing Company:
www.chemical-publishing.com
www.chemicalpublishing.net

© 1970 H.Bennett

First Edition:

© **Chemical Publishing Company, Inc.** - New York 1970-2011

Second Impression:

Chemical Publishing Company, Inc. - 2011

Printed in the United States of America

Contributors

Bowman, C. E.	Consultant
Carman, W. E.	Amer. Maize Prod. Co.
Cohen, R. S.	Dover Chemical Corp.
Dilworth, P.	Fritzsche Bros.
Feustel, W. K.	Vanderbilt Co., R. T.
Forwalter, J.	Armour Ind. Chemical Co.
Garizio, J. E.	Reheis Chemical Co.
Goldschmiedt H.	Mem Co.
Kennedy, J. N.	Camilla Hall Infirmary
Krepela, R. T.	Consultant
Levitt, B.	Consultant
Markoff, M. K.	Spencer Kellogg Co.
Mecca, S. B.	Schuylkill Chemical Co.
Mendell, E.	Mendell Co., E.
Morel, T.	Scher Bros Inc.
Nichols, M. J.	Goodrich Gulf Chemical Co.
Patureau, A. M.	Pennsylvania Ind. Chem. Corp.
Phares, C.	Goldschmidt Chemical Co.
Rosenthal, M. L.	Robeco Chemicals Inc.
Schoenberg, T. G.	Richardson Co.
Schumacher, G. E.	University of Toledo
Sheers E. H.	Arizona Chemical Co.
Skinner, G. W.	Bareco Division
Snyder, M.	Onyx Chemical Co.
Spindel, S.	Litter Laboratories, D.
Steele, F. J.	Ephrata Community Hospital
Szanto, J.	Consultant
Treibl, H. G.	Cloroben Chemical Corp.
Whatley, A.	Hampshire Chemical Div.
Whitener, P. D.	Winthrop College
Wolf, R. F.	Consultant

PREFACE TO VOLUME XV

This volume contains formulas collected in 1968. The only repetitions are these in the Introduction (Chapter 1) which are given for those who have no technical training and experience in compounding. These will serve as a guide for beginners and students. They should read the introduction carefully and even make a few preparations before attempting more complicated formulas that follow.

H. BENNETT

NOTE: All the formulas in Volumes I to XV (except in the introduction) are different. Thus, if you do not find what you want in this volume, you may find it in one of the others.

NOTE: This book is the result of cooperation of many chemists and engineers who have given freely of their time and knowledge. It is their business to act as consultants and to give advice on technical matters for a fee. As publishers, we do not maintain a laboratory or consulting service to compete with them. Therefore, please do not ask us for advice or opinions, but confer with a chemist.

Formulas for which patent numbers are listed can be manufactured only after obtaining a license from the patentees.

PREFACE

Chemistry, as taught in our schools and colleges, concerns chiefly synthesis, analysis, and engineering — and properly so. It is part of the right foundation for the education of the chemist.

Many a chemist entering an industry soon finds that most of the products manufactured by his concern are not synthetic or definite chemical compounds, but are mixtures, blends, or highly complex compounds of which he knows little or nothing. The literature in this field, if any, may be meager, scattered, or obsolete.

Even chemists with years of experience in one or more industries spend considerable time and effort in acquainting themselves with any new field which they may enter. Consulting chemists similarly have to solve problems brought to them from industries foreign to them. There was a definite need for an up-to-date compilation of formulae for chemical compounding and treatment. Since the fields to be covered are many and varied, an editorial board of chemists and engineers engaged in many industries was formed.

Many publications, laboratories, manufacturing firms, and individuals have been consulted to obtain the latest and best information. It is felt that the formulae given in this volume will save chemists and allied workers much time and effort.

Manufacturers and sellers of chemicals will find, in these formulae, new uses for their products. Nonchemical executives, professional men, and interested laymen will make through this volume a "speaking acquaintance" with products which they may be using, trying, or selling.

It often happens that two individuals using the same ingredients in the same formula get different results. This may be due to slight deviations in the raw materials or unfamiliarity with the intricacies of a new technique. Accordingly, repeated experiments may be

necessary to get the best results. Although many of the formulae given are being used commercially, many have been taken from the literature and may be subject to various errors and omissions. This should be taken into consideration. Wherever possible, it is advisable to consult with other chemists or technical workers regarding commercial production. This will save time and money and help avoid trouble.

A formula will seldom give exactly the results which one requires. Formulae are useful as starting points from which to work out one's own ideas. Also, formulae very often give us ideas which may help us in our specific problems. In a compilation of this kind, errors of omission, commission, and printing may occur. I shall be glad to receive any constructive criticism.

H. BENNETT

CONTENTS

1. Introduction	13
2. Adhesives	41
3. Cement and Related Products	53
4. Coatings	56
5. Cosmetics and Drugs	87
6. Detergents	153
7. Emulsions	192
8. Farm and Garden Formulations	198
9. Foods and Beverages	203
10. Inks	217
11. Leather	220
12. Lubricants	225
13. Metals	229
14. Paper	239
15. Polish	241
16. Pyrotechnics	262
17. Rubber, Plastics, Waxes	265
18. Textile Specialties	281
19. Miscellaneous	289
<i>Appendix</i>	
Tables	301
Federal Laws Regulating Foods, Drugs, Cosmetics	295
Trademark Chemicals—Where to Buy Them	302
Chemicals (Trademark)	303
List of Suppliers	309
Index	313

ABBREVIATIONS

amp	ampere
amp /dm ²	amperes per square decimeter
amp /sq ft	amperes per square foot
anhydr	anhydrous
avoir	avoirdupois
bbl	barrel
Bé	Baumé
B.P.	boiling point
°C	degrees Centigrade
cc	cubic centimeter
cd	current density
cm	centimeter
cms	cubic centimeter
conc	concentrated
c.p.	chemically pure
cp	centipoise
cu. ft	cubic foot
cu in.	cubic inch
cwt	hundredweight
d	density
dil	dilute
dm	decimeter
dm ²	square decimeter
dr	dram
E	Engler
°F	degrees Fahrenheit
ffo	free from chlorine
ffpa	free from prussic acid
fl dr	fluid dram
fl oz	fluid ounce
fl pt	flash point
F.P.	freezing point
ft	foot
ft ²	square foot
g	gram

ABBREVIATIONS

gal.....	gallon
gr.....	grain
hl.....	hectoliter
hr.....	hour
in.....	inch
kg.....	kilogram
l.....	liter
lb.....	pound
liq.....	liquid
m.....	meter
min.....	minim, minute
ml.....	milliliter (cubic centimeter)
mm.....	millimeter
M.P.....	melting point
N.....	Normal
N.F.....	National Formulary
oz.....	ounce
pH.....	hydrogen-ion concentration
p.p.m.....	parts per million
pt.....	pint
pwt.....	pennyweight
q.s.....	a quantity sufficient to make
qt.....	quart
r.p.m.....	revolutions per minute
sec.....	second
sp.....	spirits
Sp. Gr.....	specific gravity
sq. dm.....	square decimeter
tech.....	technical
tinc.....	tincture
tr.....	tincture
Tw.....	Twaddell
U.S.P.....	United States Pharmacopeia
v.....	volt
visc.....	viscosity
vol.....	volume
wt.....	weight

CHAPTER I

INTRODUCTION

The following introductory matter has been included at the suggestion of teachers of chemistry and home economics.

This section will enable anyone, with or without technical education or experience, to start making simple products without any complicated or expensive machinery. For commercial production, however, suitable equipment is necessary.

Chemical specialties are composed of pigments, gums, resins, solvents, oils, greases, fats, waxes, emulsifying agents, dyestuffs, perfumes, water, and chemicals of great diversity. To compound certain of these with some of the others requires definite and well-studied procedures, any departure from which will inevitably result in failure. The steps for successful compounding are given with the formulae. Follow them rigorously. If the directions require that (*a*) is added to (*b*), carry this out literally, and do not reverse the order. The preparation of an emulsion is often quite as tricky as the making of mayonnaise. In making mayonnaise, you add the oil to the egg, slowly, with constant and even stirring. If you do it correctly, you get mayonnaise. If you depart from any of these details: If you add the egg to the oil, or pour the oil in too quickly, or fail to stir regularly, the result is a complete disappointment. The same disappointment may be expected if the prescribed procedure of any other formulation is violated.

The point next in importance is the scrupulous use of the proper ingredients. Substitutions are sure to result in inferior quality, if not in complete failure. Use what the formula calls for. If a cheaper

product is desired, do not prepare it by substituting a cheaper ingredient for the one prescribed: use a different formula. Not infrequently, a formula will call for an ingredient which is difficult to obtain. In such cases, either reject the formula or substitute a similar substance only after a preliminary experiment demonstrates its usability. There is a limit to which this rule may reasonably be extended. In some cases, substitution of an equivalent ingredient may be made legitimately. For example, when the formula calls for white wax (beeswax), yellow wax can be used, if the color of the finished product is a matter of secondary importance. Yellow beeswax can often replace white beeswax, making due allowance for color, but paraffin wax will not replace beeswax, even though its light color seems to place it above yellow beeswax.

And this leads to the third point: the use of good-quality ingredients, and ingredients of the correct quality. Ordinary lanolin is not the same thing as anhydrous lanolin. The replacement of one with the other, weight for weight, will give discouragingly different results. Use exactly what the formula calls for: if you are not acquainted with the substance and you are in doubt as to just what is meant, discard the formula and use one you understand. Buy your chemicals from reliable sources. Many ingredients are obtainable in a number of different grades: if the formula does not designate the grade, it is understood that the best grade is to be used. Remember that a formula and the directions can tell you only part of the story. Some skill is often required to attain success. Practice with a small batch in such cases until you are sure of your technique. Many examples can be cited. If the formula calls for steeping quince seed for 30 minutes in cold water, steeping for 1 hour may yield a mucilage of too thin a consistency. The originator of the formula may have used a fresher grade of seed, or his conception of what "cold" water means may be different from yours. You should have a feeling for the right degree of mucilaginousness, and if steeping the seed for 30 minutes fails to produce it, steep them longer until you get the right kind of mucilage. If you do not know what the right kind is, you will have to experiment until you find out. This is the reason for the recommendation to make small experimental batches until successful results are obtained. Another case is the use of

dyestuffs for coloring lotions and the like. Dyes vary in strength; they are all very powerful in tinting value; it is not always easy to state in quantitative terms how much to use. You must establish the quantity by carefully adding minute quantities until you have the desired tint. Gum tragacanth is one of those products which can give much trouble. It varies widely in solubility and bodying power; the quantity listed in the formula may be entirely unsuitable for your grade of tragacanth. Therefore, correction is necessary, which can be made only after experiments with the available gum.

In short, if you are completely inexperienced, you can profit greatly by experimenting. Such products as mouth washes, hair tonics, and astringent lotions need little or no experience, because they are, as a rule, merely mixtures of simple liquid and solid ingredients, which dissolve without difficulty and the end product is a clear solution that is ready for use when mixed. However, face creams, tooth pastes, lubricating greases, wax polishes, etc., whose formulation requires relatively elaborate procedure and which must have a definite final viscosity, need some skill and not infrequently some experience.

Figuring

Some prefer proportions expressed by weight or volume, others use percentages. In different industries and foreign countries different systems of weights and measures are used. For this reason, no one set of units could be satisfactory for everyone. Thus divers formulae appear with different units, in accordance with their sources of origin. In some cases, parts are given instead of percentage or weight or volume. On the pages preceding the index, conversion tables of weights and measures are listed. These are used for changing from one system to another. The following examples illustrate typical units:

EXAMPLE No. 1

Ink for Marking Glass

Glycerin	40	Ammonium Sulfate	10
Barium Sulfate	15	Oxalic Acid	8
Ammonium Bifluoride	15	Water	12

Here no units are mentioned. In this case, it is standard practice

to use parts by weight throughout. Thus here we may use ounces, grams, pounds, or kilograms as desired. But if ounces are used for one item, the ounce must be the unit for all the other items in the formula.

EXAMPLE No. 2

Flexible Glue

Powdered Glue	30.90%	Glycerin	5.15%
Sorbitol (85%)	15.45%	Water	48.50%

Where no units of weight or volume, but percentages are given, forget the percentages and use the same method as given in Example No. 1.

EXAMPLE No. 3

Antiseptic Ointment

Petrolatum	16 parts	Benzoic Acid	1 part
Coconut Oil	12 parts	Chlorothymol	1 part
Salicylic Acid	1 part		

The instructions given for Example No. 1 also apply to Example No. 3. In many cases, it is not wise to make up too large a quantity of a product before making a number of small batches to first master the necessary technique and also to see whether the product is suitable for the particular purpose for which it is intended. Since, in many cases, a formula may be given in proportions as made up on a factory scale, it is advisable to reduce the quantities proportionately.

EXAMPLE No. 4

Neutral Cleansing Cream

Mineral Oil	80 lb	Water	90 lb
Spermaceti	30 lb	Glycerin	10 lb
Glyceryl Monostearate	24 lb	Perfume	To suit

Here, instead of pounds, ounces or even grams may be used. This formula would then read:

Mineral Oil	80 g	Water	90 g
Spermaceti	30 g	Glycerin	10 g
Glyceryl Monostearate	24 g	Perfume	To suit

Reduction in bulk may also be obtained by taking the same fractional part or portion of each ingredient in a formula. Thus in the following formula:

EXAMPLE NO. 5

Vinegar Face Lotion

Acetic Acid (80%)	20	Alcohol	440
Glycerin	20	Water	500
Perfume	20		

We can divide each amount by ten and then the finished bulk will be only one tenth of the original formula. Thus it becomes:

Acetic Acid (80%)	2	Alcohol	44
Glycerin	2	Water	50
Perfume	2		

Apparatus

For most preparations, pots, pans, china, and glassware, which are used in every household, will be satisfactory. For making fine mixtures and emulsions, a malted-milk mixer or egg beater is necessary. For weighing, a small, low-priced scale should be purchased from a laboratory-supply house. For measuring fluids, glass graduates or measuring glasses may be purchased from your local druggist. Where a thermometer is necessary, a chemical thermometer should be obtained from a druggist or chemical-supply firm.

Methods

To understand better the products which you intend to make, it is advisable that you read the complete section covering such products. You may learn different methods that may be used and also to avoid errors which many beginners are prone to make.

Containers for Compounding

Where discoloration or contamination is to be avoided, as in light-colored, or food and drug products, it is best to use enameled or earthenware vessels. Aluminum is also highly desirable in such cases, but it should not be used with alkalis as these dissolve and corrode aluminum.

Heating

To avoid overheating, it is advisable to use a double boiler when

temperatures below 212°F (temperature of boiling water) will suffice. If a double boiler is not at hand, any pot may be filled with water and the vessel containing the ingredients to be heated placed in the water. The pot may then be heated by any flame without fear of overheating. The water in the pot, however, should be replenished from time to time; it must not be allowed to "go dry." To get uniform higher temperatures, oil, grease, or wax is used in the outer container in place of water. Here, of course, care must be taken to stop heating when thick fumes are given off as these are inflammable. When higher uniform temperatures are necessary, molten lead may be used as a heating medium. Of course, with chemicals which melt uniformly and are nonexplosive, direct heating over an open flame is permissible, with stirring, if necessary.

Where instructions indicate working at a certain temperature, it is important to attain the proper temperature not by guesswork, but by the use of a thermometer. Deviations from indicated temperatures will usually result in spoiled preparations.

Temperature Measurement

In the United States and in Great Britain, the Fahrenheit scale of temperature is used. The temperature of boiling water is 212° Fahrenheit (212°F); the temperature of melting ice is 32° Fahrenheit (32°F).

In scientific work, and in most foreign countries, the Centigrade scale is used, on which the temperature of boiling water is 100° Centigrade (100°C) and the temperature of melting ice is 0° Centigrade (0°C).

The temperature of liquids is measured by a glass thermometer. This is inserted as deeply as possible in the liquid and is moved about until the temperature reading remains steady. It takes a short time for the glass of the thermometer to reach the temperature of the liquid. The thermometer should not be placed against the bottom or side of the container, but near the center of the liquid in the vessel. Since the glass of the thermometer bulb is very thin, it breaks easily when striking it against any hard surface. A cold thermometer should be warmed gradually (by holding it over the surface of a hot liquid) before immersion. Similarly the hot thermometer when taken out

INDEX

- Acne Lotion Peeling, 145
Acoustic Coating, 75
Adhesive, Aluminum, 45
Adhesive, Building, *See* Adhesive, Construction,
Adhesive, Carpet, 43
Adhesive, Chemical Resistant, 43
Adhesive, Concrete, 47
Adhesive, Construction, 45
Adhesive, Glass, 45
Adhesive, Heat-Sensitive, 43
Adhesive, High Temperature Tape, 42
Adhesive, Hot Melt, 41
Adhesive, Label, 42
Adhesive, Low-Temperature, 41
Adhesive, Metal, 45
Adhesive, Packing, 41
Adhesive, Panel, 45
Adhesive, Plywood, 47
Adhesive, Pressure, 41, 43
Adhesive Resin, 43
Adhesive, Steel, 45
Adhesive, Structural, *See* Adhesive, Construction
Adhesive, "Styrofoam", 46
Adhesive, Tape, 42, 43
Adhesive, Tile, 47
Adhesive, Vinyl Foam, 47
Adhesive, Wax Paper, 43
Algae Control, 201
Algaecide, Swimming Pool, 189
Almond Oil, Thickening, 291
Aluminum Anodizing, 236
Aluminum Brightener, 232
Aluminum Cleaner, 178, 231
Aluminum Etching, 231
Analgesic Balm, 149
Anesthetic Lubricant, 135
Anesthetic, Topical, 144
Anodizing, Aluminum, 236
Antacid-Demulcent, 139
Antacid, Stomach, 140
Anti-Fogging Film, 266
Antifreeze, Plant, 198
Anti-Inflammatory Drug, 145
Antiperspirant, 126
Antiphlogistine Rub, 138
Antipruritic, 144
Anti-pruritic Powder, 145
Asphalt Curbing, 55
Asphalt, Improving, 84
Asphalt Mastic, 52
Asphalt Varnish, 81
Astringent, Facial, 111
Athlete's Foot Treatment, 147
Auto Wax-Wash, 260
Awning Coating, Flameproof, 282
Bacteria Growth Inhibitor, 289
Barber's Disinfectant, 190
Basement Wall Sealer, 56
Belting, Non-inflammable Conveyor, 270
Benzol Gel, 292
Beverage Preservatives, 203
Beverage Sterilization Cold, 204
Binder, Non-Woven Fabric, 287
Bladder Relief, 144
Bleach, Hair, 120
Blood Replacement, 144
Bluing, Laundry, 159
Boiler Descalant, 183
Bonding, Spray, 288
Bottle Cleaner, 173
Burn Cream, 150
Burn Dressing, 151
Burn Spray, 151
"Butch" Stick, 116
Butyl Alcohol Gel, 292

- Cable Insulation, 269
 Calamine Lotion, Improved, 136
 Calcimine, Washable, 85
 Camouflage Paint, Face, 129
 Candle, Oxygen, 264
 Canine, *Also see* Dog
 Caramel, 213
 Caramel, Candy, 212
 Carbon Black Dispersion, 78
 Car Wash, High Pressure, 179
 Car Wash-Wax, 179
 Castor Oil, Emulsion, 143
 Caster Oil, Thickening, 291
 "Castorwax" Emulsion, 194, 226
 Caulk, 47, 48
 Cement, *Also see* Adhesive
 Cement, "Neoprene", 51
 Ceramic Foam, 55
 Chamois Leather, Pretanning, 220
 Chemical Specialties, Laws Regulating, 295
 Chile Con Carne, 214
 Chinese Noodles, 209
 Chrome Protective Wax, 261
 Cleaner, Abrasive, 178
 Cleaner, Aluminum, 178
 Cleaner, Auto Parts, 181
 Cleaner, Bottle, 173
 Cleaner, Chrome (Aerosol), 178
 Cleaner, Dairy Pipeline, 182
 Cleaner, Engine Block, 182
 Cleaner, Engine Carbon, 182
 Cleaner, Floor, 173
 Cleaner, Glass, 173
 Cleaner, Hand Surface, 232
 Cleaner, Heavy Alkali, 177
 Cleaner, Heavy-Duty, 174
 Cleaner, High Pressure Car, 179
 Cleaner, Household, 162
 Cleaner, Leatherette, 162
 Cleaner, Lens, 160
 Cleaner, Machine, 177
 Cleaner, Machinery Steam, 182
 Cleaner, Metal, 178, 179
 Cleaner, Radiator, 182
 Cleaner, Skin, 94
 Cleaner, Sludge, 182
 Cleaner, Soak Tank, 177
 Cleaner, Stainless Steel, 178
 Cleaner, Steam, 177, 181
 Cleaner, Tank, 181, 182
 Cleaner, Tank Cold, 182
 Cleaner, Toilet Bowl, 186
 Cleaning Bar, Cosmetic, 97
 Cloth Coating, Brattice, 270
 Coating, *Also see* Lacquer; Latex; Paint; Varnish
 Coating, Dip, 77
 Coffee Whitener, 206
 Concrete Floor Enamel, 59
 Copper Cleaner, 232
 Corrosion Preventive, 234
 Cosmetics, Law Regulating, 295
 Cotton Batting Cushions, 287
 Cotton Finish, Durable, 281
 Cotton Finish, "Wash & Wear", 281
 Cottonseed Oil, Thickening, 291
 Crab Louse Ointment, 146
 Cream, All-Purpose, 108
 Cream, Antibiotic, 147
 Cream, Burn, 150
 Cream, Cleansing, 95
 Cream, Cold, 107
 Cream, Day, 107
 Cream, Emollient, 106
 Cream, Face, 106
 Cream, Facial Wash, 95
 Cream, Foundation, 105
 Cream, Hair, 113, 114
 Cream, Hand, 104
 Cream, Hand Protective, 102
 Cream, Methyl Salicylate, 148
 Cream, Moisturizing, 100
 Cream, Skin Browning, 133
 Cream, Synthetic, 206
 Cream, Vanishing, 98
 Crease-Resistant Finish, 282
 Cutting Oil, Metal, 225
 Dairy Germicide, 187
 Dairy Milk Stone Remover, 187
 Dairy Pipe Line Cleaner, 182, 187
 Dairy Sanitizer, 187
 DDT Insecticide, 198
 Deer Deterrent, 200
 Degreaser, 183

- Degreaser, Leather, 224
Degreaser, Metal, 182
Degreaser, Tank, 182
Deliming Calfskins, 220
Dental Instrument Cleaner-Sanitizer, 183
Dental Products, 133
Deodorant, Aerosol, 127
Deodorization, 152
Depilatory, 122
Dermatitis Lotion, 145
Dermatitis Scab Remedy, 146
Detergent, Bactericidal, 134
Detergent Cake, 166
Detergent, Enzyme, 154, 156
Detergent, Fine Fabric, 158
Detergent, Laundry, 153
Detergent, Liquid Textile, 159
Detergent, Pearly Liquid, 164
Detergent-Sanitizer, 185
Detergent-Sanitizer-Deodorant, 184
Detergent, Sweater, 159
Diaper Rash Cream, 148
"Digestive" Tablet, 140
Dip Coating, PVC, 77
Dish Cleaner, Enzyme, 171
Dish Cleaner, Hand, 171
Dish Cleaner, Machine, 169
Disinfectant, *Also see* Sanitizer
Disinfectant, Aerosol, 189
Disinfectant, Pine Oil, 185
Dog Candy, 212
Driveway Sealer, 84
Drug Suspension Base, 139
Drugs, Laws Regulating, 295
Dry Cleaning Compound, 153
Dusting Powder, Body, 145
Dye, 40
- Eczema Lotion, 145
Egg Cleaner-Sanitizer, 187
Elastomer Processing Aids, 279
Emblaming Fluid, 152
Emollient Ointment, 149
Emulsification, Pressure, 196
Emulsion Base, Pharmaceutical, 138
Emulsion, Casein-Linseed Oil, 85
Emulsion, Castor Oil, 138
Emulsion, "Castorwax", 226
Emulsion, Cationic "Castorwax", 194
Emulsion, Chlorinated hydrocarbon, 182
Emulsion, Cod-Liver, 138
Emulsion, Hydrocarbon, 193
Emulsion, Iodized, 138
Emulsion, Kerosene, 192
Emulsion, Kerosene (Deodorized), 169
Emulsion, Medicinal Oil, 138
Emulsion, Mineral Oil, 138, 192
Emulsion, Orthodichlorobenzene, 182
Emulsion, Paraffin Oil, 192
Emulsion, "Piccolloid", 192
Emulsion, Polyester, 267
Emulsion, Silicone, 192
Emulsion, Solvent, 182
Emulsion, Thickening, 291
Emulsion, Wax, 242
Enamel, Air-Drying, 63
Enamel, Baking, 62, 63
Enamel, Coil Coating, 77
Enamel Dispersion, 71
Enamel, Epoxy Emulsion, 70
Enamel, Four-Hour, 63
Enamel, Hammered Finish, 64
Enamel, High-Gloss, 61
Enamel, Roller Coating, 64
Enamel, Spray or Dip, 64
Enamel, Tile-Like, 61
Enamel, Urethane, 59
Enzyme Dish Cleaner, 171
Enzyme Pre-Soak, 156
Epoxy Casting Resin, 271
Epoxy Coating, 70
Epoxy Ester, 274
Epoxy Primer, 71
Ester Gum, 276
Ester Resin, Glycerol, 276
Ester, Thickening, 291
Esters, Evaporation Rates of, 83
Esters, Solvent, 81
Etch, Aluminum, 231
Etch, Printed Circuit, 229
Evaporation Rates, Solvent, 83
Expectorant, 143
Eye Make-Up Remover, 129

- Fabric Binder, Non-Woven, 287
 Fatliquoring, 223
 Federal Laws Regulating Foods, Drugs
 and Cosmetics, 295
 Feed Binder, 202
 Fiber Glass Textile Finish, 287
 Fiberglass Color Binder, 286
 Flameproof Coating, 282
 Flare, Signal, 264
 Flare, Underwater, 263
 Flavor Intensification, 205
 Flight Deck Paint, 75
 Floor Cleaner, 173
 Floor Covering, 61
 Floor Finish, Abrasion Resistant, 60
 Fluorescent Cast Vinyl Film, 266
 Fluorescent Coating, 268
 Fluorescent Vinyl Film, 268
 Foam, Ceramic, 55
 Foam, Polyurethane, 270
 Food, Laws Regulating, 295
 Food, Preservatives, 203, 204
 Fragrances, *Also see* Perfume
 Fragrances, 112
 Fuel Tank Lining, 77
- Gel, Facial, 127
 Gel, Transparent Cosmetic, 97
 Gelatine Pastilles, 143
 Gels, Organic, 292
 Glass Cleaner, Beverage, 173
 Glass Cleaner, Window, 173
 Glaze, Aerosol, 256
 Glycerogelatin, Firm, 145
 Glycol Ether, Thickening, 291
 Glycol Gel, 292
 Glycol, Thickening, 291
 Gold Plating, White, 237
 Gold Recovery From Solutions, 238
 Glease, *Also see* Lubricant
 Glease Remover, 183
 Gunpowder, Black, 264
- Hair Bleach, 120
 Hair Cream, 113
 Hair Rinse, Cream, 93
 Hair Spray, Aerosol, 120
 Hair Straightener, 118
- Hair Wave, Permanent, 119
 Hair Wave-Set, 118
 Hand Cleaner, Waterless, 167
 Hemorrhoidal Suppository, 150
 Hen Feed, 201
 Hosiery, Run-Resistant, 286
 Hydraulic Fluid, 292
 Hydrocortisone Cream, 148
- Ink, Fluorescent Printing, 268
 Insecticide, 198
 Insulation, Cable, 269
 Itch Reliever, 113
 Itch Treatment, 147
- Japan, 74
- Kennel Sanitization, 202
 Kennel Sanitizer, 201
 Keratolytic Ointment, 145
 Kerosene Emulsion, Deodorized, 169
 Kerosene, Soluble, 192
 Ketone, Thickening, 291
 Ketones, Evaporation Rates of, 83
 Ketones, Solvent, 81
- Lacquer, 78
 Lacquer, Clear, 79
 Lacquer, Heat-Sealing, 79
 Lacquer Protective, 78
 Lacquer Thinner, 82
 Laundry Bluing, 159
 Laundry Detergent, 153-157
 Laundry Enzyme Pre-Soak, 156
 Laundry Rinse Additive, 156
 Laundry Softener, 158
 Laundry Starch, 158
 Leather Degreaser, 224
 Leather Finish, 77
 Leather Garment Treatment, 223
 Leather Pretanning, Chamois, 220
 Leather, Retanning Moccasin, 220
 Lens Cleaner, 160
 Linoleum Coating, 61
 Linseed Oil-Gum Emulsion, 85
 Linseed Oil, Thickening, 291
 Lip Stick Base, 129
 Lip Stick, Chap, 129

INDEX

- Lotion, Acne, 145
 Lotion, Cleansing, 98
 Lotion, Cosmetic, 109
 Lotion, Dermatitis, 145
 Lotion, Eczema, 145
 Lotion, Hand, 95
 Lotion, Hexachlorophene-Sulfur, 136
 Lotion, Hospital Massage, 137
 Lotion, Medicated Hospital, 111
 Lotion, Rubbing, 137
 Lotion, Skin Peeling, 145
 Lotion Vehicle, 108
 Lubricant, Aerosol, 227
 Lubricant, Anaesthetic, 135
 Lubricant, Bearing, 228
 Lubricant, Chain Belt, 227
 Lubricant, Grease, 226
 Lubricant, High Temperature Dry, 228
 Lubricant, Internal Plastic, 272
 Lubricant, Packing Leather, 227
 Lubricant, Plastic, 227
 Lubricant, Powder Metallurgy, 227
 Lubricant, Radiation Proof, 228
 Lubricant, Rubber, 227
 Lubricant, Sintered Ceramic, 227
 Lubricant, Surgical, 135

 Marble Stain Remover, 162
 Marshmallow, Grained, 212
 Mascara, 128
 Masonry Surface Filler, 54
 Masonry Water Proofing, 56
 Massage, Antiphlogistine, 138
 Mastic, Asphalt, 52
 Mastic, Fire-Retardant, 45
 Match, Safety, 262
 Match, Strike Anywhere, 263
 Meat, Improved Tasting, 206
 Metal Cleaner, 179, 232
 Microbiocide, 289
 Micronutrient, Plant, 198
 Military Black Powder, 264
 Mince Meat, Dry, 214
 Mineral Oil, Thickening, 291
 Mold Control, Wall, 201, 202
 Mold Release, Plastic, 260
 Mop Compound, 177
 Mouth Wash, 134

 Nail Polish Remover, 133
 Nickel Plating, 237
 Nitrocellulose Lacquer, 79
 Nut Flavor Improvement, 205
 Nylon Size, 286
 Nylon Solvent, 273

 Oil Rust Prevention, 234
 Oil Slick Emulsifier, 191
 Oil, Thickening, 291
 Ointment, 291
 Ointment Base, 148
 Ointment, Coal Tar, 148, 145
 Ointment, Crab Louse, 146
 Ointment, Cream, 100
 Ointment, Drug, 150
 Ointment, Hydrophylic, 128
 Ointment, Ringworm, 146
 Ointment, Sulfadiazine, 148
 Organosol, Fluorescent, 268
 Organosol, "Geon", 270
 Oven Cleaner, Aerosol, 233
 Oxide Remover, 232

 Paint, Asbestos Shingle, 57
 Paint, Asphalt, 84
 Paint, Baking Dip, 65
 Paint, Casein, 85, 86
 Paint, Epoxy, 70
 Paint, Epoxy-Polyamide, 76
 Paint, Fireproof, 74
 Paint, House, 67
 Paint, Latex, 66, 67
 Paint, Linoleum, 61
 Paint, Maintenance, 68
 Paint, Masonry, 57
 Paint, Nonflammable, 75
 Paint, Nonskid, 75
 Paint, One-Coat, 65
 Paint, Scrub-Resistant, 67
 Paint, Semi-Gloss, 65
 Paint, Shingle, 68
 Paint, Ship-Bottom, 76
 Paint Stripper, 78, 190
 Paint, Swimming Pool, 57
 Paint, Terrazzo, 58
 Paint, Washable Water, 86
 Paint, Water, 85

- Paint, Water-Repellent, 68
Paper Coating, 239
Paper Coating, Hot Melt, 240
Pastille, Gelatine, 143
Pentaerythritol Resin, 276
Perfume, Lotion, 113
Permanent Wave Solution, 119
Perspiration, Anti-, 126
Perspiration, Artificial, 289
Pesticides, Laws Regulating, 295
Petrolatum, Thickening, 291
"Petrolite" Emulsion, 242
Pheuobarbital Tablet, 140
Photographing on Anodized Aluminum, 234
Pigment Dispersion, 78
Pine Oil Disinfectant, 185
Plant Antifreeze, 198
Plaster Molding, Improving, 55
Plastic Lubrication, 272
Plastic Processing Aid, 271
Plastisol, Casting, 269
Plastisol, Coating, 269
Plastisol, Fluorescent, 268
Plastisol Sheet, 266
Plating, Electro-, 237
Polish, Aerosol, 254, 256, 258
Polish, Anti-Slip, 241
Polish, Asphalt Tile, 241
Polish, Auto, 258
Polish, Automobile, 259
Polish, Chrome, 178
Polish, Cleaner, 253
Polish, Cream Wax, 260
Polish, Detergent Resistant Floor, 248, 250
Polish, Floor, 241, 250
Polish, Foaming, 258
Polish, "Formica", 260
Polish, Furniture, 252, 253
Polish, Leather, 256
Polish, Metal, 256
Polish, Paste Floor, 250
Polish, Plastic, 253, 256, 260
Polish, Remover, Floor, 251
Polish, Rubless Floor, 242
Polish, Scuff-Resistant Floor, 249
Polish, Shoe, 257, 260
Polish, Silver, 257
Polish, Solvent, 256
Polish, Solvent-Wax, 255
Polish, Spray, 254
Polish, Stripper for Floor, 251
Polish, Vinyl Auto Top, 260
Polish, Wax Paste, 260
Polish, Wood, 252, 256, 260
Polyester Casting Compound, 267
Polyester-Cotton, Rainproofing, 283
Polyester Emulsion, 267
Polyester Premix Molding, 267
Polyethylene Coating, Fire Retardant, 77
Polyethylene, Improved Processing, 272
Polypropylene, Flame Retardant, 271
Polypropylene, Improved Processing, 275
Polystyrene, Improved Processing, 272
Polyurethane Foam, 270
Polyvinylchloride, 272
Potting Compound, 271
Preservative, Beverage, 203
Preservative, Food, 203
Preservative Pharmaceutical, 152
Prickly Heat Lotion, 152
Primer, Anti-Corrosion, 76
Primer, Automotive, 72
Primer, Baking, 73
Primer, Epoxy Emulsion, 72
Primer, Epoxy-Polyamide, 71
Primer, Iron Oxide, 74
Primer, Metal, 72
Primer, Salt Spray Resistant, 74
Primer, Zinc-Epoxy, 71
Printing Ink Vehicle, Water-Soluble, 286
Pudding, Canned, 208
Pyrotechnics, 262
Radiator Cleaner, 182
Rain Cloud Seeding, 263
Rash Cream, Diaper, 148
Rayon Finish, Durable, 281
Release Agent, 52
Relish, Hamburger, 215
Relish, Sweet Pickle, 215
Reserpine Tablet, 141
Resin, Acrylic Polymer, 274

- Resin Emulsion, 193
Resin, Epoxy Ester, 274
Resin Hardener, 71
Resin, High Temperature Resistant, 272
Resin, Levelling, 244
Resin, Vinyl Copolymer, 274
Resorcinol Ointment, 145
Restaurant Rinse, 172
Rhodium Plating, 238
Ringworm Ointment, 146
Rinse Aid, Biodegradable, 157
Rinse, Restaurant, 172
Rosin, Limed, 275
Rosin-Maleic Adduct, 275
Rosin, Pentaerythritol, 276
Rosin, Phenolic Ester, 276
Rosin, Synthetic, 276
Rubber, Hard, 277
Rubber Heel Synthetic, 277
Rubber Processing Aids, 279
Rug Shampoo, 159
Rust Prevention, 234
Rust-Remover, 233
- Salicylamide Tablet, 141
Salt Block Molding, 202
Sanitizer, Barbers', 190
Sanitizer, Dental Instrument, 183
Sanitizer, Detergent, 183
Sanitizene Kennel, 201
Sanitizer, Restaurant, 185
Sanitizer, Wash-Room, 185
Sauce, Improved Cheese, 206
Scabicide, 146
Scale Removal, Boiler, 183
Sea Food Improver, 206
Sealant, Non-sagging, 45
Sealer, Automotive, 46
Sealer, Floor, 60
Sealer, Utility Paint, 68
Shampoo, 88
Shampoo, Rug, 159
Shampoo, Soapless, 88
Shampoo, Upholstery, 159
Shaving Cream, Brushless, 124
Shaving Cream, Hot, 125
Shaving Cream, Lather, 123
Shaving Gel, 124
- Shaving Lotion, Pre-, 123
Ship Antifouling Topcoat, 76
Shoe Polish, 257
Silicone Emulsion, 192
Silver-Copper Plating, 237
Silver Polish, 257
Silver Recovery from Solutions, 238
Skin Browning Aerosol, 132
Skin Cleaner, 94
Skin Oil, Emollient, 136
Sludge Remover, 182
Soap, Bar, 166
Soap, Bucket, 174
Soap, Dry Cleaning, 153
Soap, Liquid Hand, 167
Softener, Fabric, 282
Softener, Laundry, 282
Sole, Soft Cellular, 278
Sole, Translucent Molded, 278
Solvent Evaporation Rates, 83
Sound Deadening Coating, 77
Spackle, 85
Sparklers, Pyrotechnic, 262
Sponge Arch Cushion, 278
Spot Remover, *Also see* Stain Remover
Spot Remover, 162
Stain Remover, Marble, 162
Stain Remover, Nicotine Finger-, 161
Stain Remover, Synthetic Carpet, 160
Starch, Aerosol Laundry, 157
Starch, Laundry, 158
Sterilization, Beverage Cold, 204
Stomach, Antacid, 140
Stump Killer, 200
Sulfa Suspension, Triple, 142
Sulfadiazine Ointment, 148
Sulfur Suspension, 139
Sun Tan Lotion, 131
Sun Tan Oil, 131
Suppository, Astringent, 150
Suppository, Hemorrhoidal, 150
Surgical Lubricant, 135
Surgical Scrub, Emollient, 135
Suspending Agent, 292
Swimming Pool Algaecide, 189
- Talcum Powder, Aerosol, 129

- Tan, *See* Sun Tan
Tan, Instant Skin 133,
Tank Cleaner, 181
Tank Lining, Fuel, 77
Tanker Cleaner, 182
Tanning Chamois, Pre-, 220
Tanning Shearlings, 222
Tanning, White Leather Re-, 222
Tape Adhesive, 43
Tartar Sauce, 214
Textile Coating, Flame-Water-Rotproof,
286
Thermometer Sterilant, 190
Thiamine Hydrochloride Tablet, 141
Thickening, *Also see* Gels
Thickening Aqueous Systems, 291
Thickening Oil, 291
Thinner, *Also see* Solvent
Thinner, Brush, 79
Thinner, Lacquer, 80, 82
Thinner, Photochemically Non-reactive,
79
Thinner, Spray, 79
Thixotropic Agent, 292
Tile, Vinyl Asbestos, 266
Tinting Base, 77
Tire Cleaner, White Tire, 190
Toilet Bowl Cleaner, 186
Tooth Powder, 133
Toothpaste, 133
Topping, Proteinless Whipped, 210
Topping, Whipped, 211
Torpedo, Railroad, 264
Trademark Chemicals, 303
Trademark Chemicals Suppliers, 309
Tripelennanine Tablet, 142
Turpentine Gel, 292
Undercoating, Automobile, 78
Upholstery Shampoo, 159
Varnish, Asphalt, 81
Varnish, Clear, 71
Varnish, Marine, 75
Varnish Remover, 232
Vegetable Flavor Improvement, 205
Vegetable Sack Disinfectant, 187
Vinyl Extrusion Compounds, 267
Viscosity, Increasing, *Also see* Gels;
Thixotropic agent
Viscosity, Raising, *See* Thickening
Waterproofing Masonry, 56
Wax Emulsion, 195, 242
Wax Emulsion, Cationic, 194
Wax, Investment Casting, 279
Wax, Self-Emulsifying, 279
Wax Stripper, 191
Welting, Plastic Upholstery, 266
Wig Luster Spray, 122

