

The Chemical Formulary

*Collection of Commercial Formulas
for Making Thousands of Products
in Many Fields*

VOLUME XIX

Editor-in-Chief

H. BENNETT, F.A.I.C.

Director, B. R. Laboratory
(Formula Consultants)
Miami Beach, Florida 33140

CHEMICAL PUBLISHING COMPANY, INC.

New York

1976

The Chemical Formulary, Volume XIX

© 2011 by Chemical Publishing Co., Inc. All rights reserved. This book is protected by copyright. No part of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means; electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

ISBN: 978-0-8206-0074-1

Chemical Publishing Company:
www.chemical-publishing.com
www.chemicalpublishing.net

© 1976 H.Bennett

First Edition:

© **Chemical Publishing Company, Inc.** - New York 1976-2011

Second Impression:

Chemical Publishing Company, Inc. - 2011

Printed in the United States of America

CONTENTS

I	Introduction	13
II	Adhesives	47
III	Coatings	69
IV	Cosmetics	99
V	Detergents	232
VI	Drugs	263
VII	Emulsions	283
VIII	Foods & Beverages	295
IX	Metals and Their Treatment	313
X	Polishes	325
XI	Rubber, Resins, Waxes	332
XII	Textiles and Their Treatment	338
XIII	Miscellaneous	354

Appendix

Federal Regulations	375
Incompatible chemicals	377
Tables	380
Trademark Chemicals	384
Suppliers of Trademark Chemicals	402
Index	411

PREFACE TO VOLUME XIX

This new volume of the CHEMICAL FORMULARY series is a collection of new, up-to-date formulas. The only repetitious material is the introduction (Chapter I) which is used in every volume for the benefit of those who may have bought only one volume and who have no educational background or experience in chemical compounding. The simple basic formulas and compounding methods given in the introduction will serve as a guide for beginners and students. It is suggested that they read the introduction carefully and even make a few preparations described there before compounding the more intricate formulas included in the later chapters.

The list of chemicals and their suppliers has been enlarged with new trademark chemicals, so that buying the required ingredients will present no problem.

Grateful acknowledgement is made to the Contributors for their valuable suggestions and contributions.

H. BENNETT

NOTE: All the formulas in Volumes I through XVIII (except in the Introduction) are different. Thus, if you do not find what you want in this volume, you may find it in one of the others.

NOTE: This book is the result of cooperation of many chemists and engineers who have given freely of their time and knowledge. It is their business to act as consultants and to give advice on technical matters for a fee. As publishers, we do not maintain a laboratory or consulting service to compete with them. Therefore, please do not ask us for advice or opinions, but consult a chemist.

Formulas for which patent numbers are listed can be manufactured only after obtaining a license from the patentees.

CONTRIBUTORS

Andriolo, S.M.	Cosden Oil & Chemical Co.
Bartucz, L.	BASF
Botau, M.	WEPCO
Braitmayer, J.W.	Mona Industries Inc.
Brown, H.	Sandoz Colors and Chemicals
Burge, R.W.	Pilot Chemical Co.
Cade, Peter H.	Croda, Inc.
Capozzi, J.T.	American Viscose Div.
Coulston, M.	Reichard-Coulston Inc.
Crespo, A.F.	Abbott Laboratories
Czifides, L.	Nopco Chemical Div.
Collins, G.C.	U.S. Borax Chemical Corp.
Doepker, M.L.	Cosmetics Consultant
Draper, W.E.	Eastman Chemical Products Inc.
Elman, S.H.	Lonza
Fasano, Frank L.	American Hoechst
Finberg, Alfred J.	Consultant
Fitzgibbons, R.M.	Meer Corp.
Fox, C.J.	Hercules Inc.
Garrison, L.J.	Varney Chemical Div.
Goldenberg, Robert L.	Van Dyk & Co.
Gordon, H.T.	Roche Chemical Div.
Gottlieb, Irving	Lonza, Inc.
Goulston, P.H.	Cabot Corp.
Hartnett, J.J.	Tanatex Chem. Co.
Kendall, E.R.	Commercial Solvents Corp.
Krepela, R.T.	Consultant
Kroll, E.	Henkel Inc.
Locke, D.A.	Witco Chem. Corp.
Macron, Donald F.	Goldschmidt Chemicals
Malakoff, N.L.	Witco Chem. Corp.
Martin, F.A.	American Hoechst Corp.
McQuillen, P.G.	Plastics Div.

Meier, T.J.
Meulen, C.R.V.
Morris, T.C.
Petrino, D.
Pitts, L.
Poole, C.W.
Renshaw, H.N.
Reynolds, G.F.
Rosenthal, M.L.
Russell, S.D.
Schaeufels, P.J.
Schlossman, Mitchell L.
Schulman, Wm.
Scoggins, R.
Silkaitis, Raymond P.
Smith, G.
Sobyak, F.J.
Sockloff, M.
Steele, Dr. Frank J.
Tener, H.E.
Wilke, W.H.

Wilmington Chem. Corp.
Penick & Ford Ltd.
Drexel Chem. Corp.
Thiokol Chem Div.
Allied Colloids Inc.
Velsicol Chemical Corp.
Staley Mfg. Co.
Kelco Co.
Robeco Chemicals Inc.
N.L. Industries Inc.
Lonza Inc.
Prince Industries Ltd.
Consultant
Eastman Chem. Prod. Inc.
Rita Chemical Corp.
Marchon Div.
Air Prod. & Chemicals Inc.
Flamingo Research Labs
Ephrata Community Hosp.
Cincinnati Milacron Chem. Inc.
Patco Products

BOOKS BY BENNETT

The Chemical Formulary Vol. I- XVIII
The Cumulative Index—The Chemical Formulary
Concise Chemical & Technical Dictionary
New Cosmetic Formulary
Chemical Specialties
Industrial Waxes, Vols. I, II
Practical Emulsions, Vols. I, II
More For Your Money
Trademarks, Chemical

PREFACE

Chemistry, as taught in our schools and colleges, concerns chiefly synthesis, analysis, and engineering—and properly so. It is part of the right foundation for the education of the chemist.

Many a chemist entering an industry soon finds that most of the products manufactured by his concern are not synthetic or definite chemical compounds, but are mixtures, blends, or highly complex compounds of which he knows little or nothing. The literature in this field, if any, may be meager, scattered, or obsolete.

Even chemists with years of experience in one or more industries spend considerable time and effort in acquainting themselves with any new field which they may enter. Consulting chemists similarly have to solve problems brought to them from industries foreign to them. There was a definite need for an up-to-date compilation of formulae for chemical compounding and treatment. Since the fields to be covered are many and varied, an editorial board of chemists and engineers engaged in many industries was formed.

Many publications, laboratories, manufacturing firms, and individuals have been consulted to obtain the latest and best information. It is felt that the formulas given in this volume will save chemists and allied workers much time and effort.

Manufacturers and sellers of chemicals will find, in these formulas, new uses for their products. Nonchemical executives, professional men, and interested laymen will make through this volume a “speaking acquaintance” with products which they may be using, trying, or selling.

It often happens that two individuals using the same ingredients in the same formula get different results. This may be due to slight deviations in the raw materials or unfamiliarity with the intricacies of a new technique. Accordingly, repeated experiments may be necessary to get the best results. Although many of the formulas given are being used commercially, many have been taken from the literature and may be subject to

various errors and omissions. This should be taken into consideration. Wherever possible, it is advisable to consult with other chemists or technical workers regarding commercial production. This will save time and money and help avoid trouble.

A formula will seldom give exactly the results which one requires. Formulas are useful as starting points from which to work out one's own ideas. Also, formulas very often give us ideas which may help us in our specific problems. In a compilation of this kind, errors of omission, commission, and printing may occur. I shall be glad to receive any constructive criticism.

H. BENNETT

ABBREVIATIONS

amp	ampere
amp/dm ²	amperes per square decimeter
amp/sq ft	amperes per square foot
anhydr	anhydrous
avoir	avoirdupois
bbbl	barrel
Be	Baumé
B.P.	boiling point
°C	degrees Centigrade
cc	cubic centimeter
cd	current density
cm	centimeter
cm ³	cubic centimeter
conc	concentrated
c.p.	chemically pure
cp	centipoise
cu ft	cubic foot
cu in	cubic inch
cwt	hundredweight
d	density
dil	dilute
dm	decimeter
dm ²	square decimeter
dr	dram
E	Engler
°F	degrees Fahrenheit
ffc	free from chlorine
ffpa	free from prussic acid
fl dr	fluid dram
fl oz	fluid ounce
ft pt	flash point
F.P.	freezing point
ft	foot
ft ²	square foot
g	gram

ABBREVIATIONS

gal	gallon
gr	grain
hl	hectoliter
hr	hour
in	inch
kg	kilogram
l	liter
lb	pound
liq	liquid
m	meter
min	minim, minute
ml	milliliter (cubic centimeter)
mm	millimeter
M.P.	melting point
MW	molecular weight
N	Normal
N.F.	National Formulary
oz	ounce
pH	hydrogen-ion concentration
p.p.m	parts per million
pt	pint
pwt	pennyweight
q.s.	a quantity sufficient to make
qt	quart
r.p.m.	revolutions per minute
sec	second
sp	spirits
Sp. Gr.	specific gravity
sq. dm.	square decimeter
tech	technical
tinc	tincture
tr	tincture
Tw	Twaddell
U.S.P.	United States Pharmacopeia
v	volt
visc	viscosity
vol	volume
wt	weight

CHAPTER I

INTRODUCTION

The following introductory matter has been included at the suggestion of teachers of chemistry and home economics.

This section will enable anyone, with or without technical education or experience, to start making simple products without any complicated or expensive machinery. For commercial production, however, suitable equipment is necessary.

Chemical specialties are composed of pigments, gums, resins, solvents, oils, greases, fats, waxes, emulsifying agents, dyestuffs, perfumes, water, and chemicals of great diversity. To compound certain of these with some of the others requires definite and wellstudied procedures, any departure from which will inevitably result in failure. The steps for successful compounding are given with the formulae. Follow them rigorously. If the directions require that (*a*) is added to (*b*), carry this out literally, and do not reverse the order. The preparation of an emulsion is often quite as tricky as the making of mayonnaise. In making mayonnaise, you add the oil to the egg, slowly, with constant and even stirring. If you do it correctly, you get mayonnaise. If you depart from any of these details: If you add the egg to the oil, or pour the oil in too quickly, or fail to stir regularly, the result is a complete disappointment. The same disappointment may be expected if the prescribed procedure of any other formulation is violated.

The point next in importance is the scrupulous use of the proper ingredients. Substitutions are sure to result in inferior

quality, if not in complete failure. Use what the formula calls for. If a cheaper product is desired, do not prepare it by substituting a cheaper ingredient for the one prescribed: use a different formula. Not infrequently, a formula will call for an ingredient which is difficult to obtain. In such cases, either reject the formula or substitute a similar substance only after a preliminary experiment demonstrates its usability. There is a limit to which this rule may reasonably be extended. In some cases, substitution of an equivalent ingredient may be made legitimately. For example, when the formula calls for white wax (beeswax), yellow wax can be used, if the color of the finished product is a matter of secondary importance. Yellow beeswax can often replace white beeswax making due allowance for color, but paraffin wax will not replace beeswax, even though its light color seems to place it above yellow beeswax.

And this leads to the third point: the use of good-quality ingredients, and ingredients of the correct quality. Ordinary lanolin is not the same thing as anhydrous lanolin. The replacement of one with the other, weight for weight, will give discouragingly different results. Use exactly what the formula calls for: if you are not acquainted with the substance and you are in doubt as to just what is meant, discard the formula and use one you understand. Buy your chemicals from reliable sources. Many ingredients are obtainable in a number of different grades: if the formula does not designate the grade, it is understood that the best grade is to be used. Remember that a formula and the directions can tell you only part of the story. Some skill is often required to attain success. Practice with a small batch in such cases until you are sure of your technique. Many examples can be cited. If the formula calls for steeping quince seed for 30 minutes in cold water, steeping for 1 hour may yield a mucilage of too thin a consistency. The originator of the formula may have used a fresher grade of seed, or his conception of what "cold" water means may be different from yours. You should have a feeling for the right degree of mucilaginousness, and if steeping the seed for 30 minutes fails to produce it, steep them longer until you get the

right kind of mucilage. If you do not know what the right kind is, you will have to experiment until you find out. This is the reason for the recommendation to make small experimental batches until successful results are obtained. Another case is the use of dyestuffs for coloring lotions and the like. Dyes vary in strength; they are all very powerful in tinting value; it is not always easy to state in quantitative terms how much to use. You must establish the quantity by carefully adding minute quantities until you have the desired tint. Gum tragacanth is one of those products which can give much trouble. It varies widely in solubility and bodying power; the quantity listed in the formula may be entirely unsuitable for your grade of tragacanth. Therefore, correction is necessary, which can be made only after experiments with the available gum.

In short, if you are completely inexperienced, you can profit greatly by experimenting. Such products as mouth washes, hair tonics, and astringent lotions need little or no experience, because they are, as a rule, merely mixtures of simple liquid and solid ingredients, which dissolve without difficulty and the end product is a clear solution that is ready for use when mixed. However, face creams, tooth pastes, lubricating greases, wax polishes, etc., whose formulation requires relatively elaborate procedure and which must have a definite final viscosity, need some skill and not infrequently some experience.

Figuring

Some prefer proportions expressed by weight or volume, others use percentages. In different industries and foreign countries different systems of weights and measures are used. For this reason, no one set of units could be satisfactory for everyone. Thus divers formulae appear with different units, in accordance with their sources of origin. In some cases, parts are given instead of percentage or weight or volume. On the pages preceding the index, conversion tables of weights and

measures are listed. These are used for changing from one system to another. The following examples illustrate typical units:

EXAMPLE NO. 1

Ink for Marking Glass

Glycerin	40	Ammonium Sulfate	10
Barium Sulfate	15	Oxalic Acid	8
Ammonium Bifluoride	15	Water	12

Here no units are mentioned. In this case, it is standard practice to use parts by weight throughout. Thus here we may use ounces, grams, pounds, or kilograms as desired. But if ounces are used for one item, the ounce must be the unit for all the other items in the formula.

EXAMPLE NO. 2

Flexible Glue

Powdered Glue	30.90%	Glycerin	5.15%
Sorbitol (85%)	15.45%	Water	48.50%

Where no units of weight or volume, but percentages are given, forget the percentages and use the same method as given in Example No. 1.

EXAMPLE NO. 3

Antiseptic Ointment

Petrolatum	16 parts	Benzoic Acid	1 part
Coconut Oil	12 parts	Chlorothymol	1 part
Salicylic Acid	1 part		

The instructions given for Example No. 1 also apply to Example No. 3. In many cases, it is not wise to make up too large a quantity of a product before making a number of small batches to first master the necessary technique and also to see whether the product is suitable for the particular purpose for which it is intended. Since, in many cases, a formula may be given in proportions as made up on a factory scale, it is advisable to reduce the quantities proportionately.

EXAMPLE NO. 4

Neutral Cleansing Cream

Mineral Oil	80 lb	Water	90 lb
Spermaceti	30 lb	Glycerin	10 lb
Glyceryl Monostearate	24 lb	Perfume	To suit

Here, instead of pounds, ounces or even grams may be used. This formula would then read:

Mineral Oil	80 g	Water	90 g
Spermaceti	30 g	Glycerin	10 g
Glyceryl Monostearate	24 g	Perfume	To suit

Reduction in bulk may also be obtained by taking the same fractional part or portion of each ingredient in a formula. Thus in the following formula:

EXAMPLE NO. 5

Vinegar Face Lotion

Acetic Acid (80%)	20	Alcohol	440
Glycerin	20	Water	500
Perfume	20		

We can divide each amount by ten and then the finished bulk will be only one tenth of the original formula. Thus it becomes:

Acetic Acid (80%)	2	Alcohol	44
Glycerin	2	Water	50
Perfume	2		

Apparatus

For most preparations, pots, pans, china, and glassware, which are used in every household, will be satisfactory. For making fine mixtures and emulsions, a malted-milk mixer or egg beater is necessary. For weighing, a small, low-priced scale should be purchased from a laboratory-supply house. For measuring fluids, glass graduates or measuring glasses may be purchased from your local druggist. Where a thermometer is necessary, a chemical thermometer should be obtained from a druggist or chemical-supply firm.

Methods

To understand better the products which you intend to make, it is advisable that you read the complete section covering such products. You may learn different methods that may be used and also to avoid errors which many beginners are prone to make.

Containers for Compounding

Where discoloration or contamination is to be avoided, as in lightcolored, or food and drug products, it is best to use enameled or earthenware vessels. Aluminum is also highly desirable in such cases, but it should not be used with alkalis as these dissolve and corrode aluminum.

INDEX

- Abbreviations, 11
Acne Lotion, 268
Adhesive, *Also See* Cement,
Sealant.
Adhesives, 47
 Automobile, 61
 Bookbinding, 51
 Cardboard, 53
 Cigar Wrapper, 59
 Flock, 47
 for Urethane Foam, 48
 Furniture Veneer, 50
 Hot Melt, 55
 Hot seal, 54
 Laminating, 49
 Masking Tape, 57
 Mending Tape, 57
 Nylon to Brass, 48
 Paper Container, 52
 Plywood, 48
 Pressure Sensitive, 55, 59
 PVC, 53
 Quick-tack, 60
 Removal, 53, 59
 Splicing, 59
 Strapping Tape, 57
 Tape, 56, 57
 Vinyl to Wood, 50
 Woodworking, 49
- Alloy, Low Melting, 321
Ammonia, Household, 238
Anesthetic, Topical, 274
Animal Coat Luster, 370
Animal Dysentery Treatment,
278
Animal Expectorant, 279
Animal Laxative, 278
Animal Tranquilizer, 277
Animal Wound Antiseptic,
278
Antacid, 263
Ant Poison, 366
Antimony Oxide Dispersion,
291
Antiperspirant, 99-104
Antipruritic Cream, 269
Aspirin Tablet, 266
Astringent Lotion, 175
Athlete's Foot Remedy, 273
Atomic Weights, 381
- Baby Powder, 223
Bakers' Specialties, 297
Bath Milk, After, 110
Bath Oil, 107-109
Battery Anode, Storage, 324
Belch Producer, 263

- Beverage, Citrus, 308
 Low-calorie, 309
 Sugarless, 308
Bread, Egg, 302
 French, 302
 Jewish Rye, 301
Breath Freshener, 264
Brilliantine, 152
Bubble Bath, 105-107
Bubble Blowing Solution, 367
Buff Cleaner, 369
Buffing Compound, 369
Burn Cream, 268

Cadmium Plating, 323
Caking Agent, Anti-, 371
Calamine Cream, 272
Calcium Carbonate Dispersion,
 293
Carbon Bonded Shapes, 363
Carpet Anti-soil, 352
Car Wash, 244
Castings, Improved Iron, 322
Cat Ascaricide Treatment, 278
Caulk, Flexible, 66
 Gunnable, 65
Cement, "Duco" Type, 60
Chrome Green Replacement,
 85
Clay Mask, Face, 222
Cleaner, *See* Detergent.
Cleaner, Auto, 244
 Concrete, 258
Cleaner, Copper, 251, 317
 Disinfectant, 252
 Drain, 259
 Floor, 241
 Garage Floor, 88
 Heavy Duty, 248, 249
 Metal, 241, 250
 Printing Roll, 250
 Stainless Steel, 318
 Steam, 249, 250
 Terrazzo, 239
 Tire, 243
 Waterless Hand, 259-262
Coating, Acrylic, 88
 Carton, 94
 Corrosion Resistant, 69
 Epoxy-coal Tar, 69
 Fluidized Bed, 98
 Fluorescent Acrylic, 92
 Footwear, 87
 Furniture, 332
 Garage Floor, 88
 Glass Bottle, 97
 Maintenance, 72
 Metal Protective, 313
 Oven Protective, 316
 Powder, 95
 Steel Pipe, 97
 Thixotropic, 89
Coccidiosis Treatment, 278
Cockroach Poison, 366
Cocoa Powder, Stabilized, 309
Cologne, 189
Coloring Foods, 311
Color Stick, Face, 221
Concrete Floor Hardener, 362
 Increased Strength, 362
 Released Agent, 358
Copper Cleaner, 251
Corrosion Inhibitor, Volatile,
 315

- Prevention, 313
- Cosmetic Cleaner, Hot Foam, 181
- Cough Tablet, 264
- Crack Filler, 53
- Cream, All Purpose, 114
 - Anti-inflammatory, 209
 - Baby, 126
 - Barrier, 112-114, 131
 - Bleaching, 126
 - Body, 116
 - Cleansing, 110
 - Estrogen-hormone, 121
 - Foundation, 131
 - Hand, 111
 - Medicated, 122, 268, 271
 - Moisturizing, 117-118, 130
 - Night, 119, 121
 - Non-dairy Sour, 295
- Cream, Oily, 110
 - Outdoor, 111
 - Pearlescent, 125
 - Powder Liquid, 126
 - Protective, 112-114, 131
 - Protein Skin, 129
 - Psoriasis, 123
 - Sachet, 127
 - Skin Softening, 119
 - Vanishing, 122, 124-125
 - Vitamin E Skin, 132
- Cuticle Remover, 223
- Cyanocrylate Adhesive Remover, 53
- Degreaser, 237
- Dental Amalgam, 320
 - Anesthetic, 281
 - Desensitizer, 281
 - Disclosing Solution, 280
- Dentifrice, 225
- Denture Cleaner, 226, 280
- Deodorant, Bed Pan, 373
 - Body, 132
- Depilatory, 134
- Desizing Textiles, 344
- Dessert, Jelly, 305
- Detergent, Biodegradable, 236
 - Delicate Fabric, 233
- Detergent, Dishwashing, 239, 240
 - Heavy Duty Laundry, 234
 - Kitchenware, 238
 - Laundry, 232
 - Non-phosphate, 233
 - Rolling Oil, 242
- Diaper Rash Cream, 272
 - Rinse, 254
- Dietetic Jelly, 306
- Disinfectant, 253
 - Barn, 279
 - Telephone, 373
- Dispersion, "Acrawax" C, 289
- Dog Ascaricide Treatment, 278
- Dusting Cloth, 252
- Dusting Preventing, 236
- Dye Bath, Fungicidal, 347
- Dyeing Acrylics, 347
 - Carpet, 348
 - Improving Wool, 344
 - Inorganic, 344
 - Jet, 348
 - Leveler, 347
 - Pressure, 350

- Stripper, 351
Uniform, 348
- Egg Nog, 309
Emulsion, Alkyd, 288
 Asphalt, 290
 Citrus Oil, 307
 Cod Oil, 291
 Essential Oil, 283
 Fire-retardant, 291
 Glyceryl Trioleate, 291
 Hydraulic Fluid, 281
 Insecticide, 284
 Metal, 316
 Mineral Oil, 271
 Nitrobenzene, 289
 Petrolatum, 283
 Polyethylene, 287
 Polyterpene, 288
 Resin, 288
 "Soluble" Oil, 287
 Sperm Oil, 291
 "Wingstay", 289
 Xylene, 270
Enamel, Baking, 70
 Black, 71
 Epoxy, 69
 White, 71
Engine Starter, Diesel, 355
Epoxy Remover, 92
Essential Oil Emulsion, 283
Eyebrow Pencil, 137, 143
Eye Cover, 136
Eyelid Salve, 144
Eye Liner, 142
 Lotion, 143, 267
 Shadow, 138
- Shiner, 143
Wash, 266
- Fabric Softener, 236
Face Powder, 223
Federal Laws, 375
Flameproof Textiles, 341
Flavor Improvement, 303
Flea Killer, Cat, 277
 Dog, 276
Flocking Textiles, 341
Fluidized Bed Dipping, 98
Fluoride Solution, Dental,
 281
Foot Powder, 273
Foot Rot Treatment, 279
Fuel Tank Rust Inhibitor, 314
- Germicide, 256
- Hair Balsam, 151, 155
 Conditioner, 149
 Cream, 145
 Protein, 145
 Dressing, 153
 Permanent Wave, 160
 Reparative, 147
Hair Rinse, 144
 Setting Lotion, 159
 Spray, Men's 152
 Protein, 153
 Straightener, 152
 Thickening Cream, 159
 Wave Set, Roller, 161
Hand Cleaner, 229-231
 Waterless, 209
Herbicide, 367, 368

- Ice Cream, 296
- Incense Paper, 372
- Incompatible Chemicals, 377
- Ink, Ultraviolet Curable, 93
- Insecticide Emulsions, 284
- Insect Repellent, 370

- Lacquer, Alkyd, 93
 - Fluorescent, 76
 - Furniture, 94
 - Urethane, 95
- Laminating, 341
- Leather, Water-Repellent, 368
- Lip Gloss, 214, 218
 - Rouge, 217
- Lipstick, 214-217
- Lotion, Anionic, 171
 - Astringent, 175
 - Black Skin, 165
 - Black Skin Cleaning, 173
 - Body, 164
 - Cationic, 169
 - Cosmetic, 163
 - Nonionic, 17
 - Pearly, 172
 - Protein, 174
 - Rose Water, 166
 - Skin, 164
 - Transparent, 172
 - Water Resistant, 169
- Lubricant, Anti-seize, 357
 - Chain and Gear, 356
 - Drawing, 318
 - Food Processing, 311
 - Hair Clipper, 362
 - Metal, 318, 369
 - Metal Extrusion, 357
 - Solid Film, 357
 - Wire Drawing, 356
- Make-up, 176, 179
 - Leg, 181
 - Remover, 179
- Marshmallow, 306
- Mascara, 135, 137
- Masking Clay Remover, 189
- Masonry Patching, 62
- Mastic, Wall Tile, 62
- Meat, Tenderizing, 303
- Metal Etchants, 316
- Mica Dispersion, 291
- Microbiocide, 372
 - Waste Water, 365
- Mildewproofing, 341
- Mildew Removal, 245
- Mold Release Agent, 358
- Molybdate Orange Replacement, 85
- Mortar, Improved, 363
- Mosquito Larvacide, 372
 - Repellent Coil, 372
- Mouse Bait, 367
- Mousse, Chocolate, 304

- Nail Enamel Remover, 224
 - Hardener, 225
- Non-woven Textiles, Bonding, 342

- Pad Liquor, 343
- Paint, *Also See* Coatings.
- Paint, Bodying, 89
 - Flame Retardant, 73
 - Fluorescent, 81

- for Asphalt, 75
- for Leather, 95
- for Plastics, 95
- for Textiles, 95
- Fumeproof House, 73
- House, 73
- Latex, 75
- Marine Anti-fouling, 73
- Masonry, 79
- Preservative, 87
- Remover, 245, 246
- Sag, Preventing, 89
- Shaker-shingle, 82
- Steel Top Coat, 83
- Stipple, 82
- Stripper, 91, 93
- Swimming Pool, 79
- Traffic, 77
- Water, 74
- Wood Topcoat, 81
- Paper, Absorbent, 364
 - Flame Retardant, 365
- Parasite Cream, 270
- Penetrating Oil, 318
- Perfume, 182-188
- Pet Food, Improved, 312
- Petroleum Spill Emulsifier, 283
- Pet Shampoo, 371
- Pet Treatments, *See* Animal, Cat, Dog.
- Pickle Oil Emulsion, 310
- Pigment Dispersion, 89, 292
 - Lead-free Yellow, 84
 - Replacement, 85
- Pig Treatment, *See* Swine.
- Plaster, Patching, 53
- Pine Scrub, 251
- Polish, Brass, 330
 - Car Cleaner, 328
 - Copper, 330
 - Floor, 329
 - Furniture, 326, 336
 - Glass, 331
 - Shoe, 325
 - Silicone Base, 330
 - Silver, 329
 - Wax Spray, 336
- Polyester, Snag-resistant, 338
- Polyethylene Emulsion, 287
- Pomade, Vegetable, 162
- Powder, Free Flowing, 371
- Primer, Epoxy, 85
 - for Polypropylene, 84
 - Red Lead, 84
 - Rust Inhibitor, 315
 - Steel, 86
- Primer, Wood, 83
 - Zinc Chromate, 84
- Pudding, Low Calorie, 304

- Release Agent, 358
- Resin, Acrylic, 333
- Rocket Propellant Binder, 61
- Rodenticide, 367
- Rolls, Butterflake, 301
- Rouge, Face, 219
- Roundworm Eliminator, 279
- Rug Shampoo, 234
- Rust Remover, 314

- Sanitizer, 257
- Scalp Condition, 161
- Screw Worm Treatment, 278

- Sealant, Building, 61
Construction, 61
Polymercaptan, 63
Self Adhering, 63
Sealer, Particle board, 51
Shampoo, 190-193
Dry, 194
Egg, 195
Hair Darkening, 194
Shave Cream, 196-200
After, 204
Brushless, 200
Self Heating, 200
Shave Cream, Women's, 202
Shave Lotion, After, 202
Pre-electric, 204
Shave Stick, After, 203
Silver Waste Recovery, 322
Sintered Parts Improvement,
319
Sintering Metal Powders, 320
Skin Condition, 204
Freshener, 206
Black, 207
Glosser, 221
Lotion, Medicated, 267
Paint, 220
Shield, 208
Skunk Odor, Removing, 371
Sludge Dispersant, 242
Slushing Oil, 313
Smoking Pipe Treatment, 373
Soap, *Also See* Detergent.
Soap, Liquid, 235
Textile, 235, 353
Soil Sterilant, 368
Solder, Aluminum, 318
Brightener, 318
Cold, 65
Gold, 319
Pewter, 319
Solvent Thickener, 366
Soya Milk, 295
Spices, Meat, 303
Spot Remover, 246
Stain-Removal, Iron, 353
Plastic, 259
Remover, 246, 248
Starch, Spray, 353
Steel Powder Suspension, 293
Stucco Dispersion, 293
Sun Tan, Greaseless, 210
Products, 210-213
Suppository, 276
Surgical Scrub, 256
Swine Dysentery Control, 279
Talc, Cosmetic Aerosol, 213
Tape, Strapping, 58
Tar Remover, 245
Termite Control, 366
Textile Backcoating, 338
Lamination, 351
Softener, 236
Tinning Flux, 319
Titanium Dioxide Dispersion,
292
Toothpaste, 227
Topping, Bakers', 299
Trademark Chemicals, 384
Trademark Chemicals Sup-
pliers, 402
Tranquilizer, Animal, 277
Turkey Blackhead Remedy,
279

Upholstery Cleaner, 234

Varnish, Water, 95

Vitamin Tablet, Multi-, 265

Water Biocide Industrial, 365
Repellent, 368

Wax Coating for Corrugated
Board, 94

Dispersion, 289

Weed Killer, 367

Weights and Measures, 380

Windshield, Anti-mist, 354

De-icer, 355

Woodpecker Repellent, 371

Zinc Plating, 323

