

The Chemical Formulary

*Collection of Commercial Formulas
for Making Thousands of products
in Many Fields*

VOLUME XXV

Editor-in-Chief

H. BENNETT, F.A.I.C.

Director, B.R. Laboratory
(Formula Consultants)
Miami Beach, Florida 33140

CHEMICAL PUBLISHING COMPANY, INC.

New York

1983

The Chemical Formulary, Volume XXV

© 2011 by Chemical Publishing Co., Inc. All rights reserved. This book is protected by copyright. No part of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means; electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher.

ISBN: 978-0-8206-0304-9

Chemical Publishing Company:
www.chemical-publishing.com
www.chemicalpublishing.net

© 1983 H. Bennett

First Edition:

© **Chemical Publishing Company, Inc.** - New York 1983

Second Impression:

Chemical Publishing Company, Inc. - 2011

Printed in the United States of America

CONTENTS

I Introduction	1
II Beverages and Foods	41
III Coatings	55
IV Cosmetics	89
V Drug Products	235
VI Detergents and Sanitizers	252
VII Elastomers and Plastics	325
VIII Metals	337
IX Polishes	346
X Textile Specialties	360
XI Miscellaneous	364
Appendix	395
Index	428

PREFACE

Chemistry, as taught in our schools and colleges, concerns chiefly synthesis, analysis, and engineering—and properly so. It is part of the right foundation for the education of the chemist.

Many a chemist entering an industry soon finds that most of the products manufactured by his concern are not synthetic or definite chemical compounds, but are mixtures, blends, or highly complex compounds of which he knows little or nothing. The literature in this field, if any, may be meager, scattered, or obsolete.

Even chemists with years of experience in one or more industries spend considerable time and effort in acquainting themselves with any new field which they may enter. Consulting chemists similarly have to solve problems brought to them from industries foreign to them. There was a definite need for an up-to-date compilation of formulae for chemical compounding and treatment. Since the fields to be covered are many and varied, an editorial board of chemists and engineers engaged in many industries was formed.

Many publications, laboratories, manufacturing firms, and individuals have been consulted to obtain the latest and best information. It is felt that the formulas given in this volume will save chemists and allied workers much time and effort.

Manufacturers and sellers of chemicals will find, in these formulae, new uses for their products. Nonchemical executives, professional men, and interested laymen will make through this volume a “speaking acquaintance” with products which they may be using, trying, or selling.

It often happens that two individuals using the same ingredients in the same formula get different results. This may be due to slight deviations in the raw materials or unfamiliarity with the intricacies of a new technique. Accordingly, repeated experiments may be necessary to get the best results. Although many of the formulas given are being used commercially, many have been taken from the literature and may be subject to various errors and omissions. This should be taken into consideration. Wherever possible,

it is advisable to consult with other chemists or technical workers regarding commercial production. This will save time and money and help avoid trouble.

A formula will seldom give exactly the results which one requires. Formulas are useful as starting points from which to work out one's ideas. Also, formulas very often give us ideas which may help us in our specific problems. In a compilation of this kind, errors of omission, commission, and printing may occur. I shall be glad to receive any constructive criticism.

H. BENNETT

PREFACE TO VOLUME XXV

This new volume of the **CHEMICAL FORMULARY** series is a collection of new, up-to-date formulas. The only repetitious material is the introduction (Chapter I) which is used in every volume for the benefit of those who may have bought only one volume and who have no educational background or experience in chemical compounding. The simple basic formulas and compounding methods given in the introduction will serve as a guide for beginners and students. It is suggested that they read the introduction carefully and even make a few preparations described there before compounding the more intricate formulas included in the later chapters.

The list of chemicals and their suppliers has been enlarged with new trademark chemicals, so that buying the required ingredients will present no problem.

Grateful acknowledgement is made to the Contributors for their valuable suggestions and contributions.

H. BENNETT

NOTE: All the formulas in Volumes I through XXV (except in the Introduction) are different. Thus, if you do not find what you want in this volume, you may find it in one of the others.

NOTE: This book is the result of cooperation of many chemists and engineers who have given freely of their time and knowledge. It is their business to act as consultants and to give advice on technical matters for a fee. As publishers, we do not maintain a laboratory or consulting service to compete with them. Therefore, please do not ask us for advice or opinions, but consult a chemist.

BOOKS BY H. BENNETT

The Chemical Formulary Vols. I-XXIV
The Cumulative Index—The Chemical Formulary
Concise Chemical & Technical Dictionary
New Cosmetic Formulary
Chemical Specialties
Industrial Waxes, Vols. I, II
Practical Emulsions, Vols. I, II
More For Your Money
Encyclopedia of Chemical Trademarks and Synonyms, Vol. I, II & III

ABBREVIATIONS

amp	ampere
amp/dm ²	amperes per square decimeter
amp/sq ft.	amperes per square foot
anhydr	anhydrous
avoir	avoirdupois
bbl	barrel
Bé	Baumé
B.P.	boiling point
°C	degrees Centigrade
cc.	cubic centimeter
cd.	current density
cm	centimeter
cm ³	cubic centimeter
conc	concentrated
c.p.	chemically pure
cp.	centipoise
cu ft	cubic foot
cu in.	cubic inch
cwt.	hundredweight
d	density
dil	dilute
dm	decimeter
dm ²	square decimeter
dr.	dram
E	Engler
°F	degrees Fahrenheit
ffc	free from chlorine
ffpa	free from prussic acid
fl dr	fluid dram
fl oz	fluid ounce
ft pt	flash point
F.P.	freezing point
ft	foot
ft ²	square foot
g	gram
gal	gallon
gr	grain

ABBREVIATIONS

hl	hectoliter
hr	hour
in.	inch
kg.	kilogram
l.	liter
lb.	pound
liq	liquid
m.	meter
min.	minim, minute
ml	mililiter (cubic centimeter)
mm.	millimeter
M.P.	melting point
N	Normal
N.F.	National Formulary
oz.	ounce
pH	hydrogen-ion concentration
p.p.m	parts per million
pt.	pint
pwt.	pennyweight
q.s.	a quantity sufficient to make
qt.	quart
r.p.m.	revolutions per minute
sec	second
sp.	spirits
Sp. Gr.	specific gravity
sq. dm.	square decimeter
tech	technical
tinc.	tincture
tr	tincture
Tw	Twaddell
U.S.P.	United States Pharmacopeia
v	volt
visc.	viscosity
vol	volume
wt	weight

Chapter I

INTRODUCTION

The following introductory matter has been included at the suggestion of teachers of chemistry and home economics.

This section will enable anyone, with or without technical education or experience, to start making simple products without any complicated or expensive machinery. For commercial production, however, suitable equipment is necessary.

Chemical specialties are composed of pigments, gums, resins, solvents, oils, greases, fats, waxes, emulsifying agents, dyestuffs, perfumes, water, and chemicals of great diversity. To compound certain of these with some of the others requires definite and wellstudied procedures, any departure from which will inevitably result in failure. The steps for successful compounding are given with the formulas. Follow them rigorously. If the directions require that (*a*) is added to (*b*), carry this out literally, and do not reverse the order. The preparation of an emulsion is often quite as tricky as the making of mayonnaise. In making mayonnaise, you add the oil to the egg, slowly, with constant and even stirring. If you do it correctly, you get mayonnaise. If you depart from any of these details: if you add the egg to the oil, or pour the oil in too quickly, or fail to stir regularly, the result is a complete disappointment. The same disappointment may be expected if the prescribed procedure of any other formulation is violated.

The point next in importance is the scrupulous use of the proper ingredients. Substitutions are sure to result in inferior quality, if not in complete failure. Use what the formula calls for. If a cheaper product is desired, do not prepare it by substituting a cheaper ingredient for the one prescribed: use a different formula. Not infrequently, a formula will call for an ingredient which is difficult to obtain. In such cases, either reject the formula or substitute a similar substance only after a preliminary experiment demonstrates its usability. There is a limit to which this rule may reasonably be extended. In some cases, substitution of an equivalent ingredient may be made legitimately. For example, when the formula calls

for white wax (beeswax), yellow wax can be used, if the color of the finished product is a matter of secondary importance. Yellow beeswax can often replace white beeswax making due allowance for color, but paraffin wax will not replace beeswax, even though its light color seems to place it above yellow beeswax.

This leads to the third point: the use of good-quality ingredients, and ingredients of the correct quality. Ordinary lanolin is not the same thing as anhydrous lanolin. The replacement of one with the other, weight for weight, will give discouragingly different results. Use exactly what the formula calls for: if you are not acquainted with the substance and you are in doubt as to just what is meant, discard the formula and use one you understand. Buy your chemicals from reliable sources. Many ingredients are obtainable in a number of different grades: if the formula does not designate the grade, it is understood that the best grade is to be used. Remember that a formula and the directions can tell you only part of the story. Some skill is often required to attain success. Practice with a small batch in such cases until you are sure of your technique. Many examples can be cited. If the formula calls for steeping quince seed for 30 min in cold water, steeping for 1 hour may yield a mucilage of too thin a consistency. The originator of the formula may have used a fresher grade of seed, or his conception of what "cold" water means may be different from yours. You should have a feeling for the right degree of mucilaginousness, and if steeping the seed for 30 min fails to produce it, steep them longer until you get the right kind of mucilage. If you do not know what the right kind is, you will have to experiment until you find out. This is the reason for the recommendation to make small experimental batches until successful results are obtained. Another case is the use of dyestuffs for coloring lotions and the like. Dyes vary in strength; they are all very powerful in tinting value; it is not always easy to state in quantitative terms how much to use. You must establish the quantity by carefully adding minute quantities until you have the desired tint. Gum tragacanth is one of those products which can give much trouble. It varies widely in solubility and bodying power; the quantity listed in the formula may be entirely unsuitable for your grade of tragacanth. Therefore, correction is necessary, which can be made only after experiments with the available gum.

In short, if you are completely inexperienced, you can profit greatly by experimenting. Such products as mouthwashes, hair tonics, and astringent lotions need little or no experience, because they are, as a rule, merely mixtures of simple liquid and solid ingredients, which dissolve without difficulty and the end product is a clear solution that is ready

for use when mixed. However, face creams, toothpastes, lubricating greases, wax polishes, etc., whose formulation requires relatively elaborate procedures and which must have a definite final viscosity, need some skill and not infrequently some experience.

FIGURING

Some prefer proportions expressed by weight or volume, others use percentages. In different industries and foreign countries different systems of weights and measures are used. For this reason, no one set of units could be satisfactory for everyone. Thus diverse formulas appear with different units, in accordance with their sources of origin. In some cases, parts are given instead of percentage or weight or volume. On the pages preceding the index, conversion tables of weights and measures are listed. These are used for changing from one system to another. The following examples illustrate typical units:

EXAMPLE NO. 1

Ink for Marking Glass

Glycerin	40	Ammonium Sulfate	10
Barium Sulfate	15	Oxalic Acid	8
Ammonium Bifluoride	15	Water	12

Here no units are mentioned. In this case, it is standard practice to use parts by weight throughout. Thus here we may use ounces, grams, pounds, or kilograms as desired. But if ounces are used for one item, the ounce must be the unit for all the other in the formula.

EXAMPLE NO. 2

Flexible Glue

Powdered Glue	30.90%	Glycerin	5.15%
Sorbitol (85%)	15.45%	Water	48.50%

Where no units of weight or volume, but percentages are given, forget the percentages and use the same method as given in Example No. 1.

INDEX

- Acne lotion, 248
 - Scrub, 249
- Adhesives, 3. *Also see* Binder, Cement, Glue
 - For textiles, 335
 - Plastics, 327
- Advice, 9
- After sun lotion, 230
- Air freshener, 190
- Alcohol improver, 43
- Ammonia, cloudy, 291
- Analgesic lotion, 240
- Ant poison, 18
- Antiquing copper, 21
- Antiseptic ointment, 4
 - Solution, 235
- Apparatus, 5
- Aquarium cement, 29
- Astringent, 240
- Athlete's foot gel, 251
- Atomic weights, 402
- Atrazine insecticide, 388
- Auto wash, 293

- Bakers' specialties, 52, 53
- Baking powder, 19
- Bath gelee, 108
 - Oil, 104
 - Tablet, 108
- Bedbug exterminator, 18

- Beverage, bran, 41
- Black powder for fireworks, 383
- Blackberry syrup, 42
- Bleach, laundry, 34, 292
 - Wood-floor, 30
- Bluing, 34
- Boiler compound, 38
- Bran beverage, 41
 - Bread sticks, 50
 - Cracker, 48
 - Meat loaf, 53
 - Muffin, 50
 - Oatmeal cookies, 51
 - Pancakes, 49
- Bread, low-calorie, 47
 - Sponge-dough, 40
- Bubble bath, 105-108
- Buffing compound, 339
- Buying apparatus, 8
 - Chemicals, 8

- Caking, preventing, 383
- Calculating, 3
- Canary food, 20
- Candles, 27
- Candy flavor, 44
 - Hard, 44
- Car wash, 293
- Carbaryl insecticide, 388

- Carbon remover, engine, 305
- Cattle dust insecticide, 387
 - Foot dry rot remedy, 251
 - Teat dip, 391
- Cautions, 8
- Cement block filler, 82
 - Floor hardener, 28
 - Improver, 392
 - Moldable Portland, 391
 - Removing wet spilled, 392
- Cereal, low calorie, 47
- Chelator, nontoxic metal, 372
- Chemical injuries, first aid, 405
- Chest rub, 16
- Cinder block surfacer, 82
- Clarification, 7
- Clay slurry, preventing spoilage of, 394
- Cleaner. *Also see* Detergent, Soap
 - Aircraft, 295
 - All-purpose, 258
 - Aluminum, 302, 337
 - Antiques, 337
 - Baking pan, 308
 - Bathroom fixtures, 310
 - Bathtub, 312
 - Bottle, 320
 - Bronze, 337
 - Car, 290
 - Carburetor, 304
 - Cement, 321
 - Dairy lines, 308
 - Disinfectant, 284
 - Engine, 303
 - Eyeglass, 320
 - Floor, 318
 - Floor scrubber, 318
 - Garage floor, 321
 - Glass, 32, 320
 - Hard surface, 268, 310
 - Heavy-duty, 262-266
 - Household, 32
 - Industrial wall, 295
 - Leather, 268
 - Metal, 302, 340
 - Metal screen, 306
 - Mirror, 318
 - Off-shore oil rig, 305
 - Oven, 306
 - Oxidized metal, 310
 - Plastic ware, 257
 - Porcelain, 311
 - Printers', 313
 - Radiator, 308
 - Refrigerator, 295
 - Rubber, 313
 - Rubber mat, 317
 - Scrub, 312
 - Shoe, 269
 - Soak-tank, 267
 - Stainless steel, 309, 339
 - Suede, 268
 - Tire, 313
 - Toilet bowl, 310
 - Truck body, 291
 - Vinyl, 268
 - Wall-paper, 32
 - Waterless hand, 279-282
 - Window, 32, 318
 - Windshield, 319
- Cleaning copper, 337
- Coating. *Also see* Lacquer, Paint
 - Damping, 76
 - Elastomer, 76
 - Electrical/conformal, 74
 - Moisture barrier, 75
 - Sound barrier, 75
 - Steel, 77

- Cocoa-malt, 19
 - Substitute, 43
 - Sweet, 19
- Cod-liver oil ointment, 237
- Coffee substitute, 43
 - Whitener, 43
- Coil coating, strippable, 74
- Cologne, 185-189
- Coloring copper, 344
- Concrete setting retarder, 392
 - Stain remover, 322
- Containers, 5
- Copolymers, 330
- Copper, antiquing, 21
 - Coloring, 344
- Costs, calculating, 9
- Crank case oil, improved, 368
- Crayon, marking, 21
- Cream, barrier, 219
 - Cleansing, 4, 10
 - Cold, 10
 - Foot, 250
 - Hand, 216
 - Night, 213
 - Nongreasy, 10
 - Vanishing, 12
- Creamer, coffee, 43, 44
- Creosote emulsion, 378
- Curl activator, 132
- Cuticle massage cream, 184
 - Remover, 184
- Cutting oil, 366

- Decolorizing, 7
- Degreaser, 295-302
- Demulsifier, 381
- Dental amalgam, 344
 - Cleaner, 247
 - Powder, 245

- Denture adhesive, 246
- Deodorant, body, 100-104
 - Drip, 285
 - Spray, 17
- Deodorizer, closet, 364
 - Germicidal, 284
- Depilatory, 160-162
- Detergent, cold water, 290
 - Fine fabric, 290
 - Hand dishwashing, 254
 - Household, 260-262
 - Laundry, 286-288
 - Machine dishwasher, 252
 - Reodorant, 291
 - Rinse-aid, 255
 - Sanitizer, 282
 - Wool, 290
- Diaper rinse, 290
- Diesel oil emulsion, 378
- Dishwasher detergent, machine, 252
- Disinfectant, 17
 - Cleaner, 284
- Dissolving, 6
- Dog shampoo, 143
- Dry-cleaning compound, 317
 - Fluid, 31
- Dusting powder, body, 230
- Dyed polyester, clearing, 362

- Emulsions, 377-380
- Enamel, 63-69
- Etch, glass, 23
- Eye gloss, 116
 - Shadow, 109-116
 - Cream, under, 117

- Face mask, cosmetic, 180, 220
 - Powder, 230-233
 - Binder, 233

- Fat discoloration, preventing, 372
- Fertilizers, conditioning, 391
- Figuring, 3
- Filtering, 7
- Fingerprint remover, 315
- Fire extinguisher, 37, 38, 371
 - Kindler, 38
- Fireproofing canvas, 37
 - Cloth, 37
 - Paper, 37
- Fireworks, 389
- Fish pool aquacide, 390
- Flame retardant plastic, 328
- Flameproof coating, 360
- Flavors, 20
 - Candy, 44
 - Emulsion, 53
 - Spray-dried, 45
- Floor oil, 25
 - Polish, 25
 - Wax, 355-356
 - Stripper, 322
- Fly paper, 18
 - Spray, 17
- Foot cream, 250
 - Powder, 15
- Foundry core wash, 345
- Gasoline, solidified, 38
- Glass cleaner, 32
 - Etch, 23
 - Fiber suspension, 383
- Glassine paper, 34
- Glue, flexible, 3
- Glycerin-rosewater, 213
- Graffiti remover, 316
- Grafting wax, 27
- "Granola"-type bar, 46
- Grape drink, 42
- Graphite grease, 27
- Greaseproofing fiberboard, 36
 - Paper, 36
- Greases. *See* Lubricants
- Greenhouse shade coating, 87
- Grinding, 7
- Gun lubricant, 26
- Gypsum setting retarder, 393
- Hair conditioner, 124-126
 - Groom, 126-132
 - Rinse, 121-123
 - Set, 144
 - Treatment of damaged, 146
 - Wave, cold, 146
 - Wave-set, 145
- Hazards, 8
- Heating, 5
- Icing, chocolate, 52
 - White, 32
- Incompatible chemicals, 399
- Ink, laundry marking, 21
 - Remover, 34
 - Writing, 20
- Insect repellent, 16, 386
- Insecticide, 383-389
- Iron oxide, removing, 371
- Ironing aid, 292
- Javelle water, 34
- Lacquer, 81. *Also see* Coating, Paint, and Varnish
- Lactose tablet, 239
- Larvacide, 361
- Latex dipping, 332

- Laundry bleach, 292
 - Blue, 34
 - Prespotter, 291
- Laws regulating Foods, Drugs, and Cosmetics, 395
- Leather pigment, 84
 - Preservative, 24
- Lemon extract, 20
- Lice treatment, head, 234
- Liniment, 15
- Lip gloss, 168
 - Protector, 170
 - Rouge, 170
- Lipstick, 162-165
- Liquor improver, 43
- Lotion, analgesic body, 247
 - Face, 4
 - Hand, 12, 13
 - Skin, 198-209
- Lubricants, 26
 - Chain, 365
- Makeup, 172-178
 - Remover, 178
- Malathion insecticide, 389
- Malted milk powder, 19
- Marshmallow, 45
- Mascara, 118-120
- Measuring, 8
- Meatloaf, bran, 53
- Metal cleaner, 302
 - Polish, 22
 - Powder suspensions, 381
- Mildew prevention, 88, 336
- Mildewproofing, 362
- Mineral oil emulsion, 379
- Mixing, 6
 - Methods, 5
- Mold release, 336, 368
- Molding compound, 26
- Mixing methods, 5
- Mortar mix, 394
- Mothproofing, 18, 361
- Motor starter, damp, 369
- Mouthwash, 14, 241
- Multivitamin tablet, 235
- Nail hardener, 180-182
- Nail polish remover, 183
- Newspaper clippings, preserving, 364
- Nickel plating, nonelectric, 343
- Nicotine stain remover, 316
- Nonwoven fabrics, saturants for, 363
- Nylon, stripping dyed, 362
- Oil, emulsifiable, 366
- Oilproofing paper, 36
- Ointment, 236
 - Base, 236
- Orange drink, 41
- Oven wall protector, 341
- Paint. *Also see* Coatings and Enamel
 - Acrylic, 57, 58
 - Brush cleaner, 33, 85, 324
 - Butadiene-styrene, 60
 - Drip-free, 57
 - Finger, 55
 - Flat wall, 57, 62
 - Interior, 56
 - Latex, 56, 61
 - Masonry, 83
 - Mildew prevention, 88
 - Polyvinyl acetate, 59

- Remover, 30, 84, 324
- Texture, 69, 70
- Thickener, 55
- Zinc-rich, 70, 77
- Paperhanger's paste, 28
- Paraffin wax lubricant, 378
- Patching plaster, 28
- Peanut butter filling, 51
- Pearly dispersion, thickening, 234
- Penetrating oil, 26, 367
- Pens, rejuvenating felt tip, 374
- Perspiration, anti-, 89-100
- Petrolatum stick, 233
- Photo developer improvement, 372
- Photographic developer, 39
 - Fixing bath, 40
- Pitch solvent, 364
- Plaster, wall-patching, 28
- Plastic, flame retardant, 328
 - Wood-dough, 29
- Polish, abrasive, 350
 - Aluminum, 350
 - Auto, 25
 - Brass, 350
 - Car, 346-348
 - Chrome, 352
 - Floor, 25, 353-356
 - Furniture, 357-359
 - Metal, 22, 350
 - Shoe, 24, 349
 - Silver, 351
 - White shoe, 23
 - Wood, 352
- Polybutene emulsion, 380
- Polyester resin, 325
- Polystyrene emulsion, 326
- Polyurethane foam, 332
- Polyvinyl acetate emulsion, 328
- Pomade, cologne, 189
- Porcelain polish, 311
- Poultry food, 390
- Powdering, 7
- Primers, paint, 71-78
- Printers' cleaner, 313
- Pulverizing, 7
- Punch, fruit, 42
- Putty, 29
- Rheumatism ointment, 237
- Rouge, cheek, 171
- Rubber, transparent, 333
- Rust preventive, 22, 343, 345
 - Remover, 34, 341-343
- Sachet, cologne, 189
- Salad dressing, no oil, 54
- Sander, liquid, 88
- Sanitizer-detergent, 282
- Scorpion bite remedy, 251
- Scouring powder, 268
- Sealer, wall primer, 62
- Shampoo, baby, 142
 - Dog, 143
 - Hair, 133
- Shave cream, 147-155
 - Brushless, 13
 - Lotion, after-shave, 156-160
 - Preelectric, 155
- Shock absorber fluid, improving, 369
- Shoe polish, 23, 24
 - Waterproofing, 23
- Silicone emulsion, 378
- Silk screen cleaner, 295
- Skin cleaner, 190-198
 - Freshener, 215
 - Moisturizer, 209-212
 - Paint, 222
 - Tint, 221

- Snack, low calorie, 47
Snow, artificial, 371
Soaps, 30, 31, 275-279. *Also see*
 Cleaners and Detergents
 Germicidal, 275
 Glycerin, 277
 Improver, 279
 Liquid, 30, 269--275
 Mechanics, 31, 278
 Saddle, 31, 278
 Sea water, 277
 Toilet, 275
Soldering flux, 39
Soot remover, 315
Spoilage, 8
Spot remover, 33, 316
Stain, mahogany, 74
 Remover, 33, 316
 Wood, 77
 Opaque, 78
Steel, coloring, 22
 Powder suspension, 381
Straw cleaner, 33
Sulfur insecticide, flowable, 389
Sunscreens, 222-229
Suntans, 222-229
Surfactant gel, 381
Surgeons' glove powder, 368
Surgical scrub, 251
Sweetener, nonsugar, 44
Syrup, chocolate, 41

Tables, 401-2
Tablet coating, 239
Tar emulsion, 377
Temperature measurement, 6
Termite control, 386
Textile bonding, 335
 Coatings, flameproof, 360
 Thermal expansion product, zero, 394
 Thickening acids, 375, 376
 Caustic soda, 377
 Solvents, 327
Tin plating, 344
Tire puncture sealer, 369
Tooth powder, 14
Toothpaste, 242-245
Topping, whipped, 52
Trademark chemicals, 407-427
Typewriter correction fluid, 375

Vanilla flavor, 20
Varnish, aluminum paint, 80
 Clear, 79
 Long-oil, 80
 Polyurethane, 80
 Remover, 30, 85
 Short-oil, 79
 Water-reducible, 79
Vinyl-acrylamide copolymers, 330
Vitamin C tablet, 238

Wall-paper cleaner, 32
 Remover, 315
Wart treatment, 249
Water scale treatment, 372
Waterproofing canvas, 36
 Cement, 36
 Fiberboard, 35
 Paper, 35
 Shoe, 23
 Textiles, 362
 Wood, 35
Wave set, hair, 145
Wax, grafting, 27
 Stripper, floor, 322

- Weighing, 8
- Weights and measures, 401, 402
- Window cleaner, 32
- Windshield defogger, 370
 - Deicer, 369
- Wood, waterproofing, 35
- Wood-dough, 29
- Wrinkle smoother, 219
- Zinc oxide ointment, 237
- Zirconium oxides suspension, 382

